

www.seajayboats.com.au



Sea Jay bring their product to you with personal pride and trust you will enjoy many memorable moments on some of the best waterways this country has to offer.

Only the highest quality marine grade aluminium and components are. used to construct one of the most robust range of boats with a quality of finish enviable of other brands on the market today.

What a better way to relax by GETTING AMONGST IT in a quality Sea Jay Aluminium Boat you can rely on and trust.



Sea Jay Aluminium Boats is a family company founded by Col and Janelle Glass in 1989.

Boating has always played a major part in their family life spanning many years. Both Col and Janelle have been proactive in many fishing (for the mighty Barra), water skiing and boat racing. Manufacturing aluminium boats became a natural progression into the boating industry although they never dreamed their "Sea Jay Aluminium Boats" brand would one day become a house hold name throughout Australia.

Joining his parents with their passion Troy Glass became an employee of the company in 1999. Completing his apprenticeship within the industry, Troy soon put his theoretical and practical knowledge to good use and became the manager of research and development. In 2010, Troy became a part owner of Sea Jay Boats further strengthening the family values associated within the

Constantly growing since its inception, the Sea Jay Boats factory now covers 7,000m² and with 2,280m² under roof, provides the necessary room to build Sea Jay's pressed and plate range of aluminium boats.

When Buying a Boat

Purchasing a new boat should be a time of excitement and Choosing a new trailer is just as significant as choosing anticipation. Every one is unique and has a range of wants and needs influencing the type of vessel most suited to them. If you have been involved in boating for numerous years you will be familiar with its many aspects and have a good idea on the specifications you are after.

However, if this is your first time purchasing a boat we would like to offer some basic advice to think about.

The very first thing to consider is what marine environment you are planning to use your new boat in. Will you be fishing lakes and impoundments? Maybe creeks and estuaries? Or perhaps offshore? The type of activities you plan to partake in also play an equally important role in the design and layout of the model you will choose. For instance, flicking lures will require a different layout than if you're objective is bottom fishing or just a day on the

Engine requirements also play an important part in your boat choice. Most boat manufacturers will usually list a recommended minimum and maximum horsepower rating as well as engine weight on each model of boat. While you can not legally exceed the maximum horsepower rating, under powering a boat can also be detrimental to overall performance and safety. Some factors to take into account are as follows:-

- · Weight of the boat
- Amount of fuel onboard
- · How many people onboard
- Weight of accessories
- · Distance to and from destination

Hull performance can be spoilt by an incorrectly fitted or trimmed engine. If you are new to boating and have had little experience with outboard engines, your dealer will guide you with the correct engine transom position and explain about motor trimming. In this instance going for a water test is also strongly advisable.

While the model and engine horsepower must be considered if you intend to carry a big load, how the load is distributed is equally important. Too much weight in one area may compromise the boats performance and safety on the water.

a suitable boat and engine. The specifications of a trailer can vary considerably but should be able to accommodate the weight of the boat, engine, a full tank of fuel and any other equipment that would normally be brought along. Incorrect trailer set up is one of the major causes of boat damage, so it is important when deciding on a trailer to consider several factors:-

- · The distance you will be traveling
- · The type of road surface you will be towing on
- · Where the boat will be launched
- · Vehicle towing capacity
- · Hull type (e.g. Pressed or Plate bottoms)
- · Hull weight

Remember, do not be afraid to ask questions, it is crucial that you are happy with all information sourced, after all this is your dream purchase so it is important to purchase wisely. Another hint for those new to boating or even if you wish to be up to date with current boating guidelines, is to obtain a Transport Department Marine Safety Hand book, so as to always play safe on our waterways.

We hope the information we have provided helps you along in your decision process when purchasing a new boat or boat package. Boating is a terrific past time that can be enjoyed by all ages and purchasing a new boat should definitely be part of it.

Hope to see you on the water soon......





CONTENTS

| WIFT - V NOSE | 6 |
|-------------------------------|----|
| TEALTH - V NOSE | 7 |
| LLROUNDER - OPEN BOAT | 8 |
| AVIGATOR - CONSOLE | 9 |
| ANGER - OPEN BOAT TILLER | 10 |
| ANGER SPORTS - CONSOLE | 11 |
| VENGER - OPEN BOAT TILLER | 12 |
| VENGER SPORTS - CONSOLE | 13 |
| VENGER RS - CONSOLE / SPORTS | 14 |
| ERRITORY NEXGEN - CONSOLE | 15 |
| ELOCITY SPORTS TD - CONSOLE | 16 |
| ELOCITY SPORTS - CONSOLE | 17 |
| SION - CONSOLE | 18 |
| AY SEEKER - RUNABOUT | 20 |
| RUSADER - RUNABOUT | 21 |
| ANDERER - BOWRIDER | 22 |
| TAN - WALK AROUND CAB | 23 |
| DYSSEY - CABIN | 24 |
| ROJAN - CABIN | 25 |
| ROJAN HT - CABIN | 26 |
| NSTRIPE, COLOURS & DIMENSIONS | 29 |
| NYL WRAP DESIGNS | 3C |
| RAILERS | 31 |
| CCESSORIES | 32 |
| ARRANTY | 34 |
| | |



GENERAL MAINTENANCE

Further Sea Jay Models available in the Sea Jay Open Boats Catalogue. Please ask your dealer or contact the factory for a copy. Brochure Downloads are also available on the website.

DELUXE BOATS

DELUXE BOATS www.seajayboats.com.au www.seajayboats.com.au

SEA JAY ADVANTAGE

With over 70 models to choose from ranging in size from 3.15m to 6.7m Sea Jay has models to cover all boating enthusiasts. Our boats are made to the highest level of workmanship and come with Quality fittings and various options. Due to the quality of build you can also rest assured that with Sea Jay you are buying a boat that not only looks good but also has great Stability and Performance. High side and wide beams are available ensuring strength, protection and the all important space you require. Whether you are new to the water ways, a seasoned pro, expert fisherman or recreational boatie, Sea Jay will have a model for you. Models also available for the commercial sector.



DELUXE BOATS



QUALITY & WORKMANSHIP

- · Quality and pride in workmanship is an important aspect of the manufacturing process.
- Sea Jay ensures employees build their product with the pride of workmanship they would expect in a boat of their own. This motto is carried through the entire manufacturing
- Sea Jay employees receive on the job training by qualified personnel.
- · A quality checking system is in place to check material and product at each stage throughout the manufacturing process. All attempts are made to provide a quality product to enter the market place.

Performance



DESIGNED WITH SAMURAI PRECISION

Designed with precision and accuracy using the latest 3D performance modelling software we are confident that our Samurai Hull delivers superior ride slicing through choppy water and planning efficiently requiring less horsepower.

FASTER AND MORE EFFICIENT

rising deadrise forming a sharper entry • Increased rising deadrise (sharper entry) improving the ride. The waterline width has been increased creating a larger surface · Increased waterline width (greater area providing faster lift onto the plane and top end speeds. With A raised sheer line or • Increased reverse chine – an even drier swept bow the internal room in this hull has been increased providing higher safer
• Swept bow – increased depth of sides!

ULTIMATE EDGE 2

The UE2 Transom gives the perfect · Plenty of Space for storage Ultimate edge and is available on models where you see this logo, always a popular style transom and now with added features:

Jay models 4.48 and above, with five · Optimal fuel efficiency achieved significance points of difference:

Enhanced stability as rest

Deeper V creating a smoother ride

NEXGEN - ADRENALIN HULL

to promote the features of this hull, as As with all our Sea Jay Models we strive for something that will give an "Adrenalin excellent riding and good stability - this has Rush". Whilst speed is not synonymous certainly been achieved with the Adrenalin vith fishing boats, the most horsepower Hull with the performance of this hull giving available often is, together with a good the ultimate "Adrenalin Rush".

With features outlined:

- Deeper V Sharper Entry
- Wide Beam Increase HP
- Excellent Ride Great control when

SAMURAI HULL

The Adrenalin model has a much broader beam

which in turn gives more water displacement

and hence enables the horsepower rating to

be increased, together with the reverse chine

performing hull.

DESIGN FEATURES

LIKE A SAMURAI SWORD! This new hull delivers a faster more economical performance and improved ride through its design specification, which includes our reverse chine. Slicing through choppy water, faster planning

The Name Adrenalin Hull has been chosen feature to enhance stability.

whilst providing optimal stability to fish at The Samurai Hull is designed with increased rest this boat boasts:

- -improved ride!
- planning surface area) faster planning!
- ride with maximum stability!

High back motor well

- Large boarding platforms for easy
- · A Heavy duty ladder also fitted.
- Rear rails on the boarding platform for added security.

REVERSE CHINE

A Reverse chine is incorporated in Sea . Quicker on plane with minimal power

- · Superior performance in handling & tracking

RESEARCH & DEVELOPMENT

Our Research & Development department is responsible for innovations in products, design, construction and style. Completely managed at our factory, our R & D team are relentless in the pursuit of creating innovative new products to keep Sea Jay Aluminium Boats one step ahead of the competition. Some of the key elements focused on are as follows:

- · New model research and advancement
- · Source and incorporate new and innovative products
- Continual revision and enhancement of current models
- · Refine and modernise production processes
- Acquire and learn new Technologies to improve hull design and function





www.seajayboats.com.au

www.seajayboats.com.au







SWIFT - V-NOSE

Our SWIFT range of V Nose Punts are for the angler who wants more useable features than just a pair of thwart seats and a rope shelf that most traditional dinghies have to offer. A full carpeted floor with (5) floor sockets allows for greater seat positioning and combined with a raised casting platform, gives 360° of fishable area. To keep the floor clutter free, a tank rack is located under the casting platform with a CE certified fuel line running under the floor to the transom. Wide side decks are also a standard feature that provide maximum strength and functionality.

| SPECIFICATIONS | 3.98 HS | 4.18 HS | 4.38 HS |
|--|---------|----------|---------|
| Bottoms (mm) | 2.0 | 3.0 | 3.0 |
| Sides (mm) | 1.6 | 2.5 | 2.5 |
| Beam (m) | 1.89 | 1.93 | 2.1 |
| Depth (m) | 0.88 | 1.05 | 1.105 |
| LOA (m) | 4.07 | 4.25 | 4.46 |
| Floor Ribs | 10 | 10 | 10 |
| No. Of Persons | 3 | 4 | 4 |
| Weight Approx (kg) | 225 | 291 | 335 |
| Max Hp | 30 | 40 | 50 |
| | 105 | 110 | 130 |
| Max Motor Weight (kg) | 105 | 110 | 130 |
| FEATURES | | | |
| Anchor Cavity | ~ | ~ | ~ |
| Bungs – 38mm | 2 | 2 | 2 |
| Cast Platform – Front To Bow / Hatches | 2 | 2 | 2 |
| Fuel Line Under Floor | ~ | ~ | ~ |
| Full Floor – Carpeted Plywood | ~ | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ |
| Handles – Rear | ~ | ~ | ~ |
| Rod Holders (Plastic) | 6 | 6 | 6 |
| Side Pocket – Starboard Side Only | ~ | ~ | ~ |
| Sounder Mount Plate | ~ | ~ | ~ |
| Spray Chines | ~ | ~ | ~ |
| Switch Panel Plate | ~ | ~ | ~ |
| Tank Rack – Under Front Casting Platform | ~ | ~ | ~ |
| Towing Eye – Double | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ |
| Under Floor Flotation | ~ | ~ | ~ |
| Wide Side Decks To Bow | ~ | ~ | ~ |
| TRANSOM | | | |
| Standard (L/S) | ~ | ~ | ~ |
| RAILS | | | |
| Bow - Short | ~ | ~ | ~ |
| Rear | ~ | ~ | ~ |
| SEATS | | | |
| Standard Upholstered Folding Swivel | 2 | 2 | 2 |
| Seat Sockets | 5 | 5 | 5 |
| OPTIONS | | | |
| Electric Motor Plate | opt | opt | opt |
| | | | |

| SPECIFICATIONS | 4.58 |
|---|--------|
| Bottoms (mm) | 3.0 |
| Plate Sides (mm) | 3.0 |
| Beam (m) | 2.08 |
| Depth (m) | 1.05 |
| Depth – Incl. Console (m) | 1.49 |
| LOA (m) | TBA |
| Floor Ribs | 10 |
| No. Of Persons | 5 |
| Weight Approx (kg) | 435 |
| Max Hp | 75 |
| Max Motor Weight (kg) | 166 |
| FEATURES | |
| Anchor Cavity | ~ |
| Bungs 38mm | 2 |
| Casting Platform To Bow -Front / Carpeted / 2 Hatches | ~ |
| Casting Platform – Rear / Carpeted / 3 Hatches | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ |
| Floor – Carpeted Plywood | ~ |
| Gunwhale Rubber Insert | ~ |
| Inspection Port – Plastic | ~ |
| Keel – External | ✓ ✓ |
| Live Well 90ltrs In Front Cast Low Floor Under Front Cast | ~ |
| Low Floor Under Profit Cast | ~ |
| Painting Inside & Out (White or Pipeline Grey) | |
| Pinstriping | _ |
| Rod Holders Plastic | 4 |
| Rope Cleat Under Coaming | ~ |
| Side or Centre Console With Glovebox & Drink Holders Fitted | ~ |
| Side Pockets | 2 |
| Spray Chines | ~ |
| Transducer Bracket | ~ |
| Under Floor Flotation | ~ |
| Wide Side Decks | ~ |
| TRANSOM | |
| Fish Deck Transom L/S | ~ |
| Transom Tie Down Lugs | ~ |
| FUEL TANK | |
| Under Floor / Deck Fill (Ltr) / Sender | 80 |
| RAILS | |
| Low Profile Bow Rails | ~ |
| Rear Rails | ~ |
| SEATS | |
| Deluxe Upholstered Folding Swivel | 2 |
| Seat Sockets | 4 |
| ELECTRICAL | |
| Acc Pre Rig | ~ |
| OPTIONS | |
| OPHONS Outralia of Wall In Dear Cast | |
| | |







STEALTH - V-NOSE

Built for the avid sports angler, the Stealth offers a great fishing platform with large elevated casting decks with loads of storage space and incorporates the new Fish Deck Transom.

A wide body hull with high sides gives a greater internal volume on a stable platform.

The Stealth is ideally suited for in-shore bay and estuary fishing and is perfect for freshwater rivers and lakes. From bass to barra fishing and Murray Cod to Mangrove Jack work the Stealth has plenty to offer for a wide variety of applicatio

90ltr Live Well In Rear Cast www.seajayboats.com.au

DELUXE BOATS DELUXE BOATS 7 www.seajayboats.com.au







ALLROUNDER - SPECIALTY OPEN BOATS



The versatile Allrounder features the popular Adrenalin Hull. When trying to find a boat to suit many different estuary applications can be tough: however our ALLROUNDER models have made this choice easy. A full open floor creates a copious amount of room that carries fishing and camping essentials. An anchorwell together with the new feature of a bulkhead with opening, as well as one long side pocket that gives additional storage options. A rear cast platform also provides a spot for fuel tanks and a battery. Topped off with wide side decks for strength (and a place to fit rod holders), ith many seat pedestals positions and a rear step & rail for ease of entry. As the name says this is a real ALLROUNDER.


| SPECIFICATIONS | 4.28 | 4.48 | 4.68 |
|--|------|------|------|
| Bottoms (mm) | 3.0 | 3.0 | 3.0 |
| Plate Sides (mm) | 2.5 | 3.0 | 3.0 |
| Beam (m) | 2.08 | 2.12 | 2.24 |
| Depth (m) | 1.05 | 1.08 | 1.14 |
| LOA (m) | 4.53 | 4.61 | 5.24 |
| Floor Ribs | 8 | 9 | 11 |
| No. Of Persons | 4 | 4 | 5 |
| Weight Approx (kg) | 280 | 294 | 331 |
| Мах Нр | 50 | 50 | 60 |
| Max Motor Weight (kg) | 130 | 130 | 130 |
| FEATURES | | | |
| ADRENALINE HULL | ~ | ~ | ~ |
| Anchor Well – Plastic | ~ | ~ | ~ |
| Bollard -Front | ~ | ~ | ~ |
| Bungs – Plastic | 2 | 2 | 2 |
| Carpeted Tank Rack In Rear Cast | ~ | ~ | ~ |
| Casting Platform – Rear / Carpeted / 2 Hatches | ~ | ~ | ~ |
| Floor – Carpeted / Plywood | ~ | ~ | ~ |
| Front Bulkhead With Opening | ~ | ~ | ~ |
| Gunwhale Rubber Inserts | ~ | ~ | ~ |
| Handles – Rear | ~ | ~ | ~ |
| Keel – External | ~ | ~ | ~ |
| Rear Step and Rail | ~ | ~ | ~ |
| Reverse Chine | - | ~ | ~ |
| Rod Holders – Plastic | 6 | 6 | 6 |
| Side Pockets | 1 | 1 | 1 |
| Sounder Mount | ~ | ~ | ~ |
| Splash Well | ~ | ~ | ~ |
| Spray Chines | ~ | ~ | ~ |
| Switch Panel Plate | ~ | ~ | ~ |
| Towing Eye (Double) | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ |
| Under Floor Flotation | ~ | ~ | ~ |
| Wide Side Decks | ~ | ~ | ~ |
| TRANSOM | | | |
| Standard Long Shaft | ~ | ~ | ~ |
| Transom Tie Down Lugs | ~ | ~ | ~ |
| RAILS | | | |
| Short Front Rails | ~ | ~ | ~ |
| SEATS | | | |
| Standard Upholstered Folding Swivel | 3 | 3 | 3 |
| | | | |

| SPECIFICATIONS | 4.48 | 4. |
|--|------|----|
| Bottoms (mm) | 3.0 | 3 |
| Plate Sides (mm) | 3.0 | 3 |
| Beam (m) | 2.12 | 2 |
| Depth (m) | 1.08 | 1 |
| Depth Inc Console (m) | 1.91 | 1. |
| LOA (m) | 4.86 | 5 |
| Floor Ribs | 9 | |
| No. Of Persons | 4 | |
| Weight Approx (kg) | 318 | 3 |
| Max Hp | 60 | 7 |
| Max Motor Weight (kg) | 130 | 1 |
| FEATURES | | |
| ADRENALIN HULL | ~ | |
| Anchorwell | ~ | |
| Bollard Front | ~ | |
| Bulkhead Storage Front | ~ | |
| Bungs –38mm | 2 | |
| Console Centre with Screen and Shelf | ~ | |
| Console has Drink Holders & Glove Box Fitted | ~ | |
| Floor – Carpeted/Plywood | ~ | |
| Gunwhale Rubber Inserts | ~ | |
| Handles Rear | ~ | |
| Keel – External | ~ | |
| Rear Step And Rail | ~ | |
| Reverse Chine | ~ | |
| Rod Holders Plastic | 6 | |
| iide Pockets | 2 | |
| Spray Chines | ~ | |
| Steering – Push Pull | ~ | |
| Towing Eye (Double) | ~ | |
| Fransducer Bracket | ~ | |
| Under Floor Floatation | ~ | |
| Wide Side Decks To Bow | ~ | |
| TRANSOM | | |
| Motor Well | ~ | |
| Transom Tie Down Lugs | ~ | |
| RAILS | | |
| Short Front Rails | ~ | |
| Shorerionendis | | |
| SEATS | | |
| Standard Upholstered Folding Swivel | 1 | |
| Seat Sockets | 2 | |
| Upholstered Storage Box | ~ | |
| OPTIONS | | |
| Painting | opt | С |
| Acc Pre Rig | opt | 0 |
| Fuel Tank | opt | С |
| | | |





The Navigator features our new Adrenalin hull and designed for the fisherman, this model is standard unpainted, however paint is always an option, and fitted with just the necessary features to keep the cockpit open for ease of movement around the boat. An ideal model for fishing, crabbing or prawning, your opinions are endless. A Seat/ Storage box is located behind the console for seating needs, together with folding Pedestal seats and three socket position for additional pasengers. A motor well, wide side decks is featured, as well as an anchorwell & front bollard positioned in the foredeck. Side pockets for storage and a rear step and rail added for easy access. Many more features are listed in this section



DELUXE BOATS DELUXE BOATS 9 www.seajayboats.com.au www.seajayboats.com.au











Designed to handle all the "TUFF STUFF the Ranger is well suited for the pro fisherman and die-hard anglers.

Available in a 460 & 490 and incorporating the samurai hull which features a swept bow, reverse chine and a 4mm bottom, with both models featuring 3mm sides.

With the checker plate floor and 3 seat positions the deck can be opened up to give you the freedom to move comfortably about your boat as you reel in the big one!

| SPECIFICATIONS | 460 |
|--|----------|
| Bottoms 5083 Plate (mm) | 4.0 |
| Plate Sides (mm) | 3.0 |
| Beam (m) | 2.35 |
| Depth(m) | 1.26 |
| LOA (m) | 5.1 |
| Floor Ribs | 10 |
| No. Of Persons | 5 |
| Weight Approx (kg) | 495 |
| Max Hp - Tiller Steer | 70 |
| Max Motor Weight (kg) Tiller | 166 |
| Total Length Incl Trailer & Motor Approx (m) | 6.15 |
| FEATURES | |
| SAMURAI HULL | ~ |
| Alloy Rod Holders | 6 |
| Alloy Scupper | 2 |
| Anchor Cavity | ✓ |
| Battery Tray In Front Hatch X 2 | ~ |

| FEATURES | |
|--|---|
| SAMURAI HULL | ~ |
| Alloy Rod Holders | 6 |
| Alloy Scupper | 2 |
| Anchor Cavity | ~ |
| Battery Tray In Front Hatch X 2 | ~ |
| Bollard – Front | ~ |
| Bollard – Rear | 2 |
| Bow Sprit | ~ |
| Bung Plastic (transom) | 1 |
| Capped Keel (50mm) | ~ |
| Checkerplate Floor – Fully Welded | ~ |
| Casting Platform With 1 Hatch | ~ |
| Console Instrument Box | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ |
| Gunwhale Rubber Insert | ~ |
| Inspection Port - Plastic | ~ |
| Keel – Internal | ~ |
| Reverse Chine | ~ |
| Side Pockets | 2 |
| Splash Well | ~ |
| Spray Chines | ~ |
| Towing Eye (Double) | ~ |
| Transducer Bracket | ~ |
| Under Floor Flotation | ~ |
| Wide Side Decks | ~ |

| ELECTRICAL | |
|--|----------|
| Live Bait Tank - Plumbed With Pump | ~ |
| Accessory Pre-Rig | ~ |
| TRANSOM | |
| Ultra Long Shaft 25" | ✓ |
| FUEL TANK | |
| Under Floor / Deck Fill (Ltr) / Sender | 90 |
| RAILS | |
| Bow Rails | ~ |
| Rear Steps & Rails | ~ |
| SEATS | |
| Standard Upholstered Folding Swivel | 2 |
| Seat Sockets | 3 |

| SPECIFICATIONS | 460 | 490 | 530 |
|---|-------------|-----------|----------|
| Bottoms 5083 Plate (mm) | 4.0 | 4.0 | 4.0 |
| Plate Sides (mm) | 3.0 | 3.0 | 3.0 |
| Beam (m) | 2.35 | 2.35 | 2.45 |
| Depth(m) | 1.26 | 1.28 | 1.35 |
| LOA (m) | 5.1 | 5.46 | 5.73 |
| Floor Ribs | 10 | 11 | 13 |
| No. Of Persons | 5 | 5 | 5 |
| Weight Approx - Sports (kg) | 510 | 545 | 578 |
| Max Hp - With Side / Centre Console | 75 | 90 185 | 140 |
| Max Motor Weight (kg) Console Total Length Incl Trailer & Motor Approx (m) | 166 6.15 | 6.27 | 6.75 |
| FEATURES | | | |
| SAMURAI HULL | ~ | ~ | ~ |
| Alloy Rod Holders | 6 | 6 | 6 |
| Alloy Scupper | 2 | 2 | 2 |
| Anchor Cavity | ~ | ~ | ~ |
| Battery Tray In Front Hatch X 2 | ~ | ~ | ~ |
| Bollard – Front | ~ | ~ | ~ |
| Bollard – Rear | 2 | 2 | 2 |
| Bow Sprit | ~ | ~ | ~ |
| Bung Plastic (transom) | 1 | 1 | 1 |
| Capped Keel (50mm) | ~ | ~ | ~ |
| Checkerplate Floor – Fully Welded | ~ | ~ | ~ |
| Casting Platform With 1 Hatch | ~ | ~ | ~ |
| Console Side/Console has Drink Holders & Glove Box fitted | opt | ~ | ~ |
| Console Side/Centre with Screen and Shelf | opt | ~ | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ | ✓ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ |
| Inspection Port – Plastic | ~ | ~ | ~ |
| Keel – Internal | ~ | ~ | ~ |
| Reverse Chine | ~ | ✓ | ~ |
| Side Pockets | 2 | 2 | 2 |
| Splash Well | ~ | ~ | ~ |
| Spray Chines Steering - Hydraulic | ~ | ~ | ~ |
| Towing Eye (Double) | ~ | ~ | |
| Transducer Bracket | ~ | ~ | |
| Under Floor Flotation | ~ | ~ | |
| Wide Side Decks | ~ | ~ | ~ |
| ELECTRICAL | | | |
| Live Bait Tank - Plumbed With Pump | ~ | ✓ | ~ |
| Accessory Pre-Rig | ~ | ~ | ~ |
| TRANSOM | | | |
| Ultra Long Shaft 25" | ~ | ✓ | ~ |
| Half Pod Ultra Long Shaft 25" | opt | opt | ~ |
| FUEL TANK | | | |
| Under Floor / Deck Fill (Ltr) / Sender | 90 | 115 | 170 |
| Side Deck Fuel Filler | ~ | ~ | ~ |
| RAILS | | | |
| Bow Rails | ~ | ~ | ~ |
| Rear Steps & Rails | ~ | ~ | ~ |
| SEATS | | | |
| Standard Upholstered Folding Swivel | 2 | 2 | 2 |
| Seat Sockets | 3 | 3 | 3 |
| | | | |







RANGER SPORTS - SPECIALTY HEAVY DUTY



Designed to handle all the "TUFF STUFF" the Ranger Sports is well suited for die-hard anglers. Available in 460, 490 & 530 in the Sports (side or centre console) version.

With high tensile 5083 Plate 4mm bottom with 50mm capped keel and reverse chines the Ranger Sports has the size and strength to get the job done.

With the checkerplate floor and 3 seat positions the deck can be opened up to give you the freedom to move comfortably about your boat as you reel in the big one!



AVENGER

- SPECIALTY OPEN BOATS - TILLER STEER

The Avenger range has models to suit all: these models feature the NexGen Adrenalin Hull. All have 3mm bottoms and 3 mm sides, however the 4.28 model has 2.5mm sides. The adrenalin hull with a deeper V and wide beam also incorporates a reverse chine. These features give you an excellent ride; enhance stability, great control and optimal fuel efficiency.

All models feature front and rear cast platforms with hatches, electric motor plates are fitted off the front gunwhale, with a bow sprit and roller fitted on the front deck. A sounder mount and switch panel plate is fitted within the hull for electronic needs. Plenty of rod holders are on offer with 6 plastic holders fitted to the wide side decks. Seating is in the form of two full upholstered folding seats with five socket positions. Fuel tanks are fitted to the 4.48 and 4.68 models only and all models are available either painted or non-painted.



| SPECIFICATIONS | 428 | 448 | 468 |
|--|----------|----------|----------|
| Bottoms (mm) | 3.0 | 3.0 | 3.0 |
| Plate Sides (mm) | 2.5 | 3.0 | 3.0 |
| Beam (m) | 2.07 | 2.12 | 2.29 |
| Pepth (m) | 1.13 | 1.2 | 1.22 |
| _OA (m) | 4.72 | 4.86 | 5.03 |
| loor Ribs | 8 | 9 | 11 |
| Io. Of Persons | 4 | 4 | 5 |
| Veight Approx (kg) | 328 | 384 | 429 |
| Nax Hp | 50 | 50 | 70 |
| Max Motor Weight (kg) | 130 | 130 | 166 |
| FEATURES | | | |
| ADRENALIN HULL NEXGEN | - | ~ | ~ |
| Anchorwell – Plastic | ~ | ~ | ~ |
| Bollard – Front | ~ | ~ | ~ |
| Bow Sprit | ~ | ~ | ~ |
| Bungs – Plastic | 2 | 2 | 2 |
| Casting Platform – Front / Carpeted / 4 Hatches | ~ | ~ | ~ |
| Casting Platform – Rear / Carpeted / 2 Hatches | ~ | ~ | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ | ~ | ~ |
| Floor – Carpeted Plywood | ~ | ~ | ~ |
| Floor (Low) Under Front Cast | ~ | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ |
| Handles Rear | ~ | ~ | ~ |
| Keel – External | ~ | ~ | ~ |
| ive Bait Tank Plumbed | ~ | ~ | ~ |
| | | | |
| Painting & DLX Stripe or Vinyl Wrap | opt ~ | opt ~ | opt ~ |
| Reverse Chine | | | |
| Rod Holders Plastic | 6 | 6 | 6 |
| ide Ribs Off Every Floor Ribe Between Cast Platforms | ~ | ~ | ✓ |
| ide Pockets | 2 | 2 | 2 |
| Sounder Mount | ~ | ~ | ~ |
| Splash Well | ~ | ~ | ~ |
| Spray Chines | ~ | ~ | ~ |
| itep Rear & Rail | ~ | ~ | ~ |
| witch Panel Plate | ~ | ~ | ~ |
| ank Rack (Carpeted) In Rear Cast | ~ | ~ | ~ |
| owing Eye (Double) | ~ | ~ | ~ |
| ransducer Bracket | ~ | ~ | ~ |
| Jnder Floor Flotation | ~ | ~ | ~ |
| Vide Side Decks | ~ | ~ | ~ |
| TRANSOM | | | |
| Standard Long Shaft | V | V | · · · |
| ransom Tie Down Lugs | ~ | ~ | ~ |
| FUEL TANK | | | |
| Jnder Floor - Gunwhale Fill (ltr) | - | 70 | 80 |
| uel Sender | - | ~ | ~ |
| RAILS | | | |
| Bow Rails | ~ | ~ | ~ |
| Rear Rails | ~ | ~ | ~ |
| SEATS | | | |
| itandard Upholstered Folding Swivel | 2 | 2 | 2 |
| Seat Sockets | 5 | 5 | 5 |
| ELECTRICAL | | | |
| Acc Pre Rig | ont | ont | opt |
| acc FIC RIG | opt | opt | υρι |

| SPECIFICATIONS | 428 | 448 | 46 |
|---|----------|------|------|
| Bottoms (mm) | 3.0 | 3.0 | 3.0 |
| Plate Sides (mm) | 2.5 | 3.0 | 3.0 |
| Beam (m) | 2.07 | 2.12 | 2.2 |
| Depth (m) | 1.13 | 1.2 | 1.2 |
| Depth Inc Console (m) | TBA | 1.53 | 1.54 |
| LOA (m) | 4.72 | 4.86 | 5.0 |
| Floor Ribs | 8 | 9 | 11 |
| No. Of Persons | 4 | 4 | 5 |
| Weight Approx (kg) | 366 | 421 | 45 |
| Max Hp | 50 | 60 | 75 |
| Max Motor Weight (kg) | 130 | 130 | 166 |
| FEATURES | | | |
| ADRENALIN HULL NEXGEN | - | ~ | ~ |
| Anchorwell – Plastic | ~ | ~ | ~ |
| Bollard - Front | ~ | ~ | ~ |
| Bow Sprit | ~ | ~ | ~ |
| Bungs - Plastic | 2 | 2 | 2 |
| Casting Platform – Front / Carpeted / 4 Hatches | ~ | ~ | ~ |
| Casting Platform – Rear / Carpeted / 2 Hatches | ~ | ~ | ~ |
| Console has Drink Holders & Glove Box Fitted | ~ | ~ | ~ |
| Console Side / Centre with Screen and Shelf | ~ | ~ | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ | ~ | ~ |
| Floor - Carpeted Plywood | ~ | ~ | ~ |
| Floor (Low) Under Front Cast | ~ | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ |
| Handles Rear | ~ | ~ | ~ |
| Keel – External | ~ | ~ | ~ |
| Live Bait Tank Plumbed | ~ | ~ | ~ |
| Motor Well | ~ | ~ | ~ |
| Painting & DLX Stripe or Vinyl Wrap | opt | opt | ор |
| Reverse Chine | ~ | ~ | ~ |
| Rod Holders Plastic | 6 | 6 | 6 |
| Side Ribs Off Every Floor Ribe Between Cast Platforms | ~ | ~ | ~ |
| Side Pockets | 2 | 2 | 2 |
| Sounder Mount | ~ | ~ | ~ |
| Spray Chines | ~ | ~ | ~ |
| Step Rear & Rail | ~ | ~ | ~ |
| Switch Panel Plate | ~ | ~ | ~ |
| Tank Rack (Carpeted) In Rear Cast | ~ | ~ | ~ |
| Towing Eye (Double) | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ |
| Under Floor Flotation | ~ | ~ | ~ |
| Wide Side Decks | ~ | ~ | ~ |
| TRANSOM | | | |
| Standard Long Shaft | ~ | ~ | ~ |
| Transom Tie Down Lugs | ~ | ~ | ~ |
| FUELTANK | | | |
| Under Floor - Gunwhale Fill (ltr) | _ | 70 | 80 |
| Fuel Sender | - | ~ | ~ |
| RAILS | | | |
| Bow Rails | ~ | ~ | ~ |
| Rear Rails | ~ | ~ | ~ |
| SEATS | | | |
| Standard Upholstered Folding Swivel | 2 | 2 | 2 |
| Seat Sockets | 4 | 4 | 4 |
| ELECTRICAL | | | |
| | ~ | ./ | |
| Acc Pre Rig | Ţ | • | ~ |
| seajayboats.com.au | | | |







AVENGER SPORTS

- SIDE / CENTRE CONSOLE



The Avenger Sports Side or Centre Console, packaged with all the features of the Avenger tiller: however a centre or side console has been added to give this model the sporting edge. This model is available as painted and non-painted, with all models featuring the NexGen Adrenalin hull features, which also incorporates a reverse chine.

So take a look at the full specification and features of this model as it is sure to please.









- SIDE OR CENTRE CONSOLE



The Raised Sheerline or know as Avenger (RS) tiller and Avenger Sports (RS) Side or Centre Console are models packed with all the standard features of our Avenger series, based on the NexGen/ Adrenalin hull with its reverse chine, the new hull has greater internal volume together with an stylish new eye catching look.

Both Avengers Sports RS models are available in two hull sizes the 448 and 468.

| SPECIFICATIONS (NexGen Spec's not complete at print) | 448 | 468 |
|--|----------|----------|
| Bottoms (mm) | 3.0 | 3.0 |
| Plate Sides (mm) | 3.0 | 3.0 |
| Beam (m) | 2.12 | 2.29 |
| Depth (m) | TBA | TBA |
| Depth Inc Console (m) | TBA | TBA |
| LOA (m) | TBA | TBA |
| Floor Ribs | 9 | 11 |
| No. Of Persons | 5 | 5 |
| Weight Approx (kg) - Tiller | 384 | 429 |
| Weight Approx (kg) - Sports | 421 | 453 |
| Max Hp - Tiller | 50 | 60 |
| Max Hp - Sports | 60 | 75 |
| Max Motor Weight (kg) - Tiller | 130 | 130 |
| Max Motor Weight (kg) - Sports | 130 | 166 |
| Fotal Length On Trailer And Inc Motor. Approx (m) | 6.1 | TBA |
| | | |
| FEATURES | | |
| ADRENALIN HULL NEXGEN | ~ | ~ |
| Acc Pre Rig | ~ | ~ |
| Anchorwell – Plastic | ~ | ~ |
| Bollard – Front | ✓ | ~ |
| Bow Sprit | ~ | ~ |
| Bungs – Plastic | 2 | 2 |
| Casting Platform – Front/Carpeted/2 Hatches | ~ | ~ |
| Casting Platform – Rear/Carpeted/2 Hatches | ~ | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ | ~ |
| Floor – Carpeted Plywood | ~ | ~ |
| Gunwhale - Raised Sheerline (Rs) | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ |
| Handles Rear | ~ | ~ |
| Inspection Port – Plastic | ~ | ~ |
| Keel – External | ~ | ~ |
| Live Bait Tank Plumbed | ~ | ~ |
| Low Floor Under Front Cast | ~ | ~ |
| Rear Step & Rail | ~ | ~ |
| Reverse Chine | ~ | ~ |
| Rod Holders Plastic | 6 | 6 |
| Side Or Centre Console & Screen | ~ | ~ |
| Side Or Centre Console With Glovebox & Drink Holders | ~ | ~ |
| Side Pockets | 2 | 2 |
| Sounder Mount | ~ | ~ |
| Splash Well | ~ | ~ |
| Spray Chines | ~ | ~ |
| Switch Panel Plate | ~ | ~ |
| Tank Rack (Carpeted) In Rear Cast | ~ | |
| Transducer Bracket | | ~ |
| Under Floor Flotation | ~ | ~ |
| Wide Side Decks | ~ | ~ |
| Wide Side Beeks | • | ~ |
| TRANSOM | | |
| Standard Long Shaft | ~ | ~ |
| Transom Tie Down Lugs | ~ | ~ |
| | | |
| FUEL TANK | | |
| Under Floor / Deck Fill (Ltr) / Sender | 70 | 80 |
| RAILS | | |
| | | |
| Bow Rails | ~ | ~ |
| Rear Rails | ~ | ~ |
| SEATS | | |
| | 2 | 2 |
| Standard Upholstered Folding Swivel Seat Sockets | 2 | 2 |
| | 4 | 4 |
| OPTIONS | | |
| | | |

| SPE |
|--|
| Botton Plate S Beam Depth Depth LOA (r Floor I No. Of Weigh Max H Max M |
| FEATI ADRE Anch Stainla Battei Board Bollar Bow S Bung Consc |
| UE2 - UE2 - Fuel F Transo |
| FUEL Unde |
| 25mm 25mm 25mm Consc |
| SEAT: Delux Seat S |
| ELEC Acc. P Switch 6Gang Ancho |











TERRITORY NEXGEN - SIDE OR CENTRE CONSOLE

TERRITORY takes sports fishing options to the next level. Based on the NexGen Adrenalin Hull this exciting new model has options that give a wide range of options for anglers. The larger front casting deck incorporates an anchor well under the deck giving more deck space for lure casting or tossing a cast net. The Ultimate Edge Transom with more ribs for extra strength gives this model the option to handle rough rougher water while the wide body with reverse chines gives better performance and allows better small water access.

Versatile

The Territory is available in a few sizes to suit your needs. While it is a side console as standard, they are also available as a centre console if that suits your needs.

14 DELUXE BOATS www.seajayboats.com.au www.seajayboats.com.au












VELOCITY - WITH TUFF DECK (TD) OPTION (SIDE CONSOLE ONLY)

The Velocity Tuff Deck options is available in the 520, 550 and 590 Velocity models. The Tuff Deck feature means a no nonsense deck with easy wash down, with no carpet to attract sand and mud this model is an ideal for crabbing and net casting.



| SPECIFICATIONS | 490 | 520 | 550 | 590 |
|--|--------------|------------|------------|------------|
| Bottoms 5083 Plate (mm) | 4.0 | 4.0 | 4.0 | 4.0 |
| Sides (mm) | 3.0 | 3.0 | 3.0 | 3.0 |
| Beam (m) | 2.3 | 2.4 | 2.45 | 2.47 |
| Depth (m) | 1.25 | 1.29 | 1.30 | 1.36 |
| Depth (m) Inc Screen | 1.64 | 1.68 | 1.70 | 1.70 |
| LOA (m) | 5.22 | 5.52 | 5.82 | 6.22 |
| Floor Ribs | 12 | 13 | 14 | 15 |
| No. Of Persons | 5 | 5 | 6 | 6 |
| Weight Approx (kg) | 555 | 605 | 647 | 690 |
| Max Hp | 90 180 | 115 195 | 150 230 | 150 230 |
| Max Motor Weight (kg) | 100 | 193 | 230 | 230 |
| FEATURES | ~ | ~ | ~ | ~ |
| SAMURAI HULL | ~ | ~ | ~ | ~ |
| Anchor Well | ~ | ~ | ~ | ~ |
| Battery & Rack In Stern | ~ | ~ | ~ | ~ |
| Boarding Ladder – Heavy Duty Low Floor Under Front Cast | ~ | ~ | ~ | ~ |
| Bollard | 3 | 3 | 3 | 3 |
| Bow Sprit & Roller | v | ~ | ~ | ~ |
| Bungs 38mm | 1 | 1 | 1 | 1 |
| Console Side / Centre with Screen and Shelf | ~ | ~ | ~ | _ |
| Console Side/Centre has Drink Holders & Glove Box Fitted | ~ | ~ | ~ | ~ |
| Dive Door | _ | ~ | ~ | ~ |
| Electric Motor Plate – Extended Off Gunwhale | ~ | ~ | ~ | ~ |
| Ice Box Storage Under Front Cast Deck | ~ | ~ | ~ | ~ |
| Front Casting Platform With 4 X Hatches | ~ | ~ | ~ | ~ |
| Flotation – Under Floor | ~ | ~ | ~ | ~ |
| Floor – Carpet / Plywood | ~ | ~ | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ | ~ |
| Live Bait Tank Plumbed | ~ | ~ | ~ | ~ |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ | ~ | ~ |
| Pinstriping | ~ | ~ | ~ | ~ |
| 5083 Plate 4mm Bottoms With Capped Keel And Welded Strakes | ~ | ~ | ~ | ~ |
| Rod Holders (Plastic) | 6 | 6 | 6 | 6 |
| Side Pockets | ~ | ~ | ~ | ~ |
| Spray Chines | ✓ opt | ✓ ✓ | ~ | ~ |
| Steering - Hydraulic | ✓ | ~ | ~ | ~ |
| Steering – Push Pull | ~ | ~ | ~ | ~ |
| Tie Down Lugs Towing Eye (Double) | ~ | ~ | ~ | ~ |
| Transducer Bracket | ~ | | ~ | |
| Tuff Deck (TD) Feature (Sports - Side Console ONLY) | _ | opt | opt | opt |
| Wide Side Decks | ~ | ~ | ~ | ~ |
| TRANSOM | | | | |
| UE2 - L/S | ~ | _ | _ | - |
| UE2 – U/L | - | ~ | ~ | ~ |
| FUEL TANK | | | | |
| Under Floor / Deck Fill (Ltr) / Sender | 100 | 150 | 175 | 200 |
| | | | | |
| ELECTRICAL Assessment Pro Director Mith. Bottom Book legistion Controls | ~ | ./ | ./ | ~ |
| Accessory Pre Rig Loom With Battery Box & Isolation Switch | ~ | · / | ~ | ·/ |
| 6 Gang Switch Panel/Bilge Pump/Navigation, Stern & Anchor Light | • | • | • | • |
| RAILS | , | | | |
| Heavy Duty 32mm Low Bow Rails | ~ | ~ | ~ | ~ |
| Console Screen Grab Rail | ~ | ~ | ~ | ~ |
| Heavy Duty 32mm Rear Transom Rails | ~ | ✓ | ✓ | ~ |
| SEATS | | | | |
| Deluxe Upholstered Folding Swivel | 2 | 2 | 2 | 2 |
| Seat Sockets | 5 | 5 | 5 | 5 |
| | | | | |





VELOCITY SPORTS - SIDE OR CENTRE CONSOLE

The Velocity is another model in the SAMURAI HULL line up, with the sleek raised sheer line (swept bow) and reverse chine, this model has all the best qualities Sea Jay is known for. This model proved itself during testing, with increased dead rise and sharper entry this model simply slices through the waves, parting the water like no other. The Velocity has a larger high front cast deck with an abundance of storage within the hatch. This model has two options with regard to the positioning of the console, that being to the side – sports model of centre with the console positioned towards the rear. Available in three model lengths, it is certainly a model to look at and take on board the full features as noted.

16 DELUXE BOATS www.seajayboats.com.au www.seajayboats.com.au




VISION - CONSOLE






This model features the SAMURAI HULL, which features a raised sheer line (swept bow) and also incorporates our reverse chine.This streamline hull has been designed carefully to achieve the best performance possible. Testing this model was a unique experience as its liced through the waves, due to the sharper entry improving the ride. The Vision is a traditional centre consoled the contraction of the ride of the ride of the ride of the vision is a traditional centre consoled the ride of twith the ability to fit the optional TTop. The Vision is available in six hull lengths, so take a look over the listed specification and features for a good appreciation of this model.













| SPECIFICATIONS | 490 | 520 | 550 | 590 | 630 |
|--|----------|----------|----------|----------|----------|
| Bottoms 5083 Plate (mm) | 4.0 | 4.0 | 4.0 | 4.0 | 5.0 |
| Sides (mm) | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| Beam (m) | 2.3 | 2.4 | 2.45 | 2.47 | 2.48 |
| Depth (m) | 1.24 | 1.29 | 1.30 | 1.36 | 1.56 |
| Depth (m) Inc Screen | 1.81 | 1.73 | 1.85 | 1.86 | 2.10 |
| Depth (m) Inc T Top | 2.51 | 2.63 | 2.7 | 2.71 | 2.69 |
| Depth (m) With T Top Folded | 1.92 | 2.04 | 221 | 2.22 | 1.87 |
| LOA (m) | 5.22 | 5.52 | 5.82 | 6.22 | 6.59 |
| Floor Ribs | 12 | 13 | 14 | 15 | 16 |
| | | | | | |
| No. Of Persons | 5 | 5 | 6 | 6 | 6 |
| Weight Approx (kg) | 550 | 570 | 629 | 660 | 960 |
| Weight Approx Inc Optional T Top (kg) | 590 | 610 | 681 | 725 | TBA |
| Max Hp | 90 | 115 | 150 | 150 | 200 |
| Max Motor Weight (kg) | 185 | 195 | 230 | 230 | 240 |
| FEATURES | | | | | |
| SAMURAI HULL | ~ | ~ | ~ | ~ | ~ |
| Anchor Well | ~ | ~ | ~ | ~ | ~ |
| Anchor Well Mounting Plate To Suit Stress Free Anchor | - | - | - | - | ~ |
| Batteries Dual - In Transom | - | - | - | - | ~ |
| Battery & Rack In Stern | ~ | ~ | ~ | ~ | - |
| Bait Board Inc 4 X Alloy Rod Holders | - | - | - | - | ~ |
| Boarding Ladder – Heavy Duty | ~ | ~ | ~ | ~ | ~ |
| Bollard | 3 | 3 | 3 | 3 | 3 |
| Bow Spirit & Roller | ~ | ~ | ~ | ~ | _ |
| Bow Sprit To Suit Sarca #3 Anchor | - | - | - | - | ~ |
| • | 1 | 1 | 1 | | 1 |
| Bungs 38mm | | | | 1 | |
| Capped Keel And Welded Strakes | ~ | ~ | ~ | ~ | V |
| Console - Center (Includes Screen / Shelf) | ~ | ~ | ~ | ~ | |
| Dive Door | - | ~ | ~ | ~ | ~ |
| Electric Motor Mount Plate - extended off gunwhale | ~ | ~ | ~ | ~ | ~ |
| Floor "Tuff Deck" – 3mm Checkerplate Wash Down Alloy | _ | opt | opt | opt | ~ |
| With Sump Box | | | | | |
| Floor – Carpet / Plywood | ~ | ~ | ~ | ~ | - |
| Flotation – Under Floor | ~ | ~ | ~ | ~ | ~ |
| Front Casting Platform With 2 X Hatches | ~ | ~ | ~ | ~ | - |
| Front Casting Platform With Single Hatch | - | - | - | - | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ | ~ | ~ |
| Inspection Port X1 (In Cockpit Floor) | - | - | - | - | ~ |
| Kill Tank Self Flooding | - | - | - | - | ~ |
| Live Bait Tank Plumbed | ~ | ~ | ~ | ~ | ~ |
| Low Floor Under Front Cast | ~ | ~ | ~ | ~ | ~ |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ | ~ | ~ | ~ |
| Pinstriping | ~ | ~ | ~ | ~ | ~ |
| Rod Holders (Plastic) | 6 | 6 | 6 | 6 | 6 alloy |
| Side Pockets | 2 | 2 | 2 | 2 | 2 |
| Spray Chines | ~ | ~ | ~ | ~ | _ |
| Steering – Hydraulic | opt | | ~ | | ~ |
| Steering - Push Pull | | - | - | _ | - |
| | • | | | | |
| Tackle Storage In Transom To Suit 5 X 237003 Series Plano Tackle Trays | - | - | - | - | ~ |
| Towing Eye (Double) | ~ | ~ | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ | ~ | ~ |
| Transom Boarding Platform – Non Skid | ~ | ~ | ~ | ~ | ~ |
| T Top Fish Master with 4 Rod Holders | _ | opt | opt | opt | _ |
| | - | - | _ | - | opt |
| T Top Factory built with 6 Rod Holders Wide Side Decks | ~ | ~ | ~ | ~ | ~ |
| | , | , | , | · | Ţ |
| TRANSOM UE2 – L/S | ~ | _ | _ | _ | _ |
| UE2 – U/L | _ | ~ | | ~ | |
| | - | ~ | ~ | • | • |
| FUEL TANK | 100 | 150 | זקר | 200 | 210 |
| Under Floor / Deck Fill (Ltr) / Sender | 100 | 150 | 175 | 200 | 210 |
| | | | | | |

PLEASE NOTE: Factory T Top no longer available for 520 - 550 - 590 Models please refer to specifications for alternative option.

DELUXE BOATS DELUXE BOATS 19 www.seajayboats.com.au www.seajayboats.com.au







BAY SEEKER - RUNABOUT



The Bay Seeker is our new entry-level model to our Runabout range. Whilst it is an entry-level model, it is still not without comfortable features. With upholstered swivel seating and a rear lounge to accommodate other family members or friends, this model will provide a very enjoyable day on the water. With features like opening screen to allow easy access for anchor retrieval as well as side pockets, drink holders and a glovebox all those little extras that can make a big difference. This model is designed to incorporate the Adrenalin Hull, which features a deeper v and wide beam giving an excellent riding hull, with 4.53 & 4.83 now also the NEXGEN hull design while still incorporating the Adrenalin hull features. This model also features an enclosed transom which gives added safety.

| SPECIFICATIONS | 4.28 | 4.53 | 4.83 |
|--|----------|----------|----------|
| Bottoms (mm) | 3.0 | 3.0 | 3.0 |
| Sides (mm) | 2.5 | 3.0 | 3.0 |
| Beam (m) | 2.08 | 2.12 | 2.28 |
| Depth (m) | 1.05 | 1.2 | 1.22 |
| Depth – Incl. Windscreen (m) | 1.44 | 1.61 | 1.625 |
| LOA (m) | 4.72 | 4.9 | 5.07 |
| Floor Ribs | 8 | 9 | 10 |
| No. Of Persons | 4 | 5 | 5 |
| Weight Approx (kg) | 334 | 407 | 461 |
| Мах Нр | 50 | 70 | 75 |
| Max Motor Weight (kg) | 130 | 166 | 166 |
| FEATURES | | | |
| ADRENALIN HULL | ~ | - | - |
| ADRENALIN HULL NEXGEN | - | ~ | ~ |
| Anchor Well Alloy | ~ | ~ | ~ |
| Battery & Storage Area in Stern | - | ~ | ~ |
| Boarding Ladder - Heavy Duty | - | ~ | ~ |
| | ~ | ~ | ~ |
| Bollard - Front | ~ | ~ | ~ |
| Bow Sprit | | | |
| Bungs - Plastic | 2 | 2 | 2 |
| Carpeted Tank Rack | ~ | - | - |
| Dash Drink Holders | 2 | 2 | 2 |
| Floor - Carpeted Plywood | ~ | ~ | ~ |
| Glovebox With 2 X Drink Holders | ~ | ~ | ~ |
| Grab Rails On Wind Screen | ~ | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ | ~ |
| Handle Rear | ~ | ~ | ~ |
| Keel - External | ~ | ~ | ~ |
| Low Floor Under Dash | ~ | ~ | ~ |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ | ~ |
| Pinstriping - Deluxe | ~ | ~ | ~ |
| Rear Step & Rail Port Side | ~ | - | - |
| Reverse Chine | - | ~ | ~ |
| Rod Holders Plastic | 4 | 4 | 4 |
| Side Pockets | 2 | 2 | 2 |
| Spray Chines | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ |
| Under Floor Flotation | ~ | ~ | ~ |
| Wide Side Decks | ~ | ~ | ~ |
| | • | • | • |
| TRANSOM | | | |
| UE2 – L/S | - | ~ | ~ |
| Standard (L/S) | ~ | ~ | ~ |
| Transom Tie Down Lugs | ~ | ~ | ~ |
| Motor Splash Well | ✓ | - | - |
| FUELTANK | | | |
| Under Floor - Gunwhale Fill (ltr) | opt | 70 | 80 |
| Fuel Sender | opt | ~ | ~ |
| RAILS | | | |
| Bow Rails | ~ | ~ | ~ |
| Rear Rails | ~ | ~ | ~ |
| | _ | · / | ., |
| Transom Rails | | • | • |
| SEATS | | | |
| Full Upholstered Bucket Swivel | 2 | 2 | 2 |
| Seat Sockets | 3 | 3 | - |
| Seat Pedestals With Swivel (Driver Swivel & Slide) | - | - | ~ |
| Upholstered Corner Transom Seats | 2 | - | _ |
| Full Folding Rear Lounge With Back Rest | - | ~ | ~ |
| ELECTRICAL | | | |
| Acc Pre Rig With 4 Gang Switch Panel | ✓ | ~ | ~ |
| | | | |

| SPECIFICATIONS | 4.9 | 5.2 |
|--|--------------|-------------|
| Bottoms 5083 Plate (mm) | 4.0 | 4.0 |
| Plate Sides (mm) | 3.0 | 3.0 |
| Beam (m) | 2.3 | 2.4 |
| Depth (m) | 1.25 | 1.29 |
| Depth Inc Screen (m) | 1.58 5.22 | TBA 5.52 |
| LOA (m) Floor Ribs | 12 | 13 |
| No. Of Persons | 5 | 5 |
| Weight Approx (kg) | 520 | TBA |
| Max Hp | 90 | 115 |
| Max Motor Weight (kg) | 175 | 195 |
| FEATURES | | |
| SAMURAI HULL | ~ | ~ |
| 5083 Plate 4mm Bottoms With Capped Keel & Welded Strakes | ~ | ~ |
| Anchorwell | ~ | ~ |
| Battery & Rack In Stern | ~ | ~ |
| Boarding Ladder – Heavy Duty | ~ | ~ |
| Bollard | 3 | 3 |
| Bow Sprit & Roller | ~ | ~ |
| Bungs 38mm | 1 | 1 |
| Dashboard & Glovebox | ~ | ~ |
| Dive Door | opt | ~ |
| Drink Holder | 2 | 2 |
| Floor – Carpet / Plywood | ~ | ~ |
| Flotation - Under Floor | ~ | ~ |
| Gunwhale Rubber Insert | ~ | ~ |
| Live Bait Tank Plumbed | ~ | ~ |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ |
| Pinstriping | ~ | ~ |
| Rod Holders (Plastic) | 4 | 4 |
| Side Pockets | ~ | ~ |
| Spray Chines | ~ | ~ |
| Steering - Hydraulic | opt | ~ |
| Steering – Push Pull | ~ | _ |
| Storage Under Walk Through | ~ | ~ |
| Towing Eye (Double) | ~ | ~ |
| Transducer Bracket | ~ | ~ |
| Transom Tied Down Eyes | ~ | ~ |
| Walk Through Windscreen | ~ | ~ |
| Wide Side Decks | ~ | ~ |
| Windscreen With Grab Rails | ~ | ~ |
| TRANSOM | | |
| UE2 - L/S | ~ | _ |
| UE2 – U/L | _ | ~ |
| FUEL TANK | | |
| Under Floor / Deck Fill (Ltr) / Sender | 100 | 150 |
| | 100 | 130 |
| RAILS | ~ | ~ |
| Heavy Duty 32mm Low Bow Rails | ~ | ~ |
| Heavy Duty 32mm Rear Transom Rails | ~ | ~ |
| Windscreen Grab Rail | · | • |
| ELECTRICAL | , | , |
| Accessory Pre Rig Loom With Battery Box & Isolation Switch | ~ | ~ |
| 6 Gang Switch Panel / Bilge Pump / Navigation, Stern & Anchor Light | ~ | ~ |
| SEATS | | |
| Full Upholstered Bucket Swivel | ~ | ~ |
| Removable Rear Lounge With Fixed Padded Back Rest | ~ | ~ |
| | | |







CRUSADER - RUNABOUT





The Crusader runabout features latest swept bow configuration in a runabout giving a greater feeling of safety up the front of the boat and the soft ride of the Samurai Hull is a pleasure to feel. A walk through dash and screen allows for easy anchoring and fully upholstered swivel seats in the front and fully upholstered removable rear lounge with padded back rest gives the whole family a comfortable ride. The Crusader is a perfect mix of a roomy family boat with a good fishing platform.







WANDERER - BOWRIDER

Explore new horizons in our bowrider style of boat, the Wanderer. The Wanderer comes standard with a carpeted front cockpit including a mid-section that can be installed and used as a full cast platform or if boating in comfort is more your style, you have the option of bunk cushions for comfortable seating. An optional folding rear lounge may also be fitted for additional seating. Stylish fibreglass dashes are included that one could be forgiven in thinking that they sitting behind the wheel of a car. Whether it be touring the waterways at your leisure or casually wetting a line, the Wanderer will always be ready to entertain.

| SPECIFICATIONS | 4.85 | 5.0 | 5.4 | 5.8 |
|--|----------|----------|------|----------|
| Bottoms (mm) | 3.0 | 3.0 | 4.0 | 4.0 |
| Plate Sides (mm) | 3.0 | 3.0 | 3.0 | 3.0 |
| Beam (m) | 2.15 | 2.24 | 2.44 | 2.44 |
| Depth (m) | 1.15 | 1.21 | 1.30 | 1.35 |
| Depth - Incl. W/Screen Rail (m) | 1.54 | 1.58 | 1.69 | 1.75 |
| LOA (m) | 4.85 | 5.2 | 5.67 | 5.92 |
| Floor Ribs | 13 | 13 | 15 | 16 |
| No. Of Persons | 5 | 5 | 6 | 6 |
| | | | | |
| Weight Approx (kg) | 430 | 471 | 614 | 625 |
| Max Hp | 80 | 100 | 135 | 150 |
| Max Motor Weight (kg) | 180 | 195 | 230 | 230 |
| FEATURES | | | | |
| Accessory Pre Rig | opt | opt | opt | opt |
| Anchorwell | ~ | ~ | ~ | ~ |
| Battery & Oil Rack – In Stern | ~ | ~ | ~ | ~ |
| Bollards | 3 | 3 | 3 | 3 |
| Bow Sprit & Roller | ~ | ~ | ~ | ~ |
| Bungs – 38mm | 2 | 2 | 2 | 2 |
| Consoles (Side) X 2 – Fibreglass Dash / Glove- | ~ | ~ | ~ | ~ |
| box | | | | |
| Dive Door | _ | _ | ~ | ~ |
| Drink Haldera | 2 | 2 | 2 | 2 |
| Drink Holders | 2 | 2 | 2 | 2 |
| Drop In Dash Between Consoles | ~ | ~ | ~ | ~ |
| Floor – Carpeted Plywood | ~ | ~ | ~ | ~ |
| Flotation – Under Floor | ~ | ~ | ~ | ~ |
| Front Cast Platform – Storage Underneath | ~ | ~ | ~ | ~ |
| Gunwhale Rubber Inserts | ~ | ~ | ~ | ~ |
| Ladder | opt | opt | opt | opt |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ | ~ | ~ |
| Pinstriping | ~ | ~ | ~ | ~ |
| Pocket Nets | ~ | ~ | ~ | ~ |
| Reverse Chine | ~ | ~ | ~ | ~ |
| Rod Holders | 2 | 2 | 2 | 2 |
| Rounded Foredeck | ~ | ~ | ~ | ~ |
| Side Pockets | ~ | ~ | ~ | ~ |
| Ski Hooks | _ | _ | 2 | 2 |
| Spray Chines | ~ | ~ | ~ | ~ |
| Steering – Hydraulic | opt | opt | ~ | ~ |
| Steering – Push Pull | √ | ∨ | • | • |
| Steeling - Push Puli | | | _ | _ |
| Step Down Front Floor | ~ | ~ | ~ | ~ |
| Storage Hatch – In Floor Between Seats | - | - | ~ | ~ |
| Towing Eye – Double | ~ | ~ | ~ | ~ |
| Transducer Bracket | ~ | ~ | ~ | ~ |
| Wide Side Decks | ~ | ~ | ~ | ~ |
| Windscreen-Walkthru | ~ | ~ | ~ | ~ |
| TRANSOM | | | | |
| L/S | ~ | ~ | _ | _ |
| UI/S | _ | ont | ~ | ~ |
| | | opt | • | • |
| FUEL TANK | | | | |
| Under Floor / Deck Fill (ltr) / Sender | 80 | 100 | 140 | 160 |
| RAILS | | | | |
| Bow – Low Profile | ~ | ~ | ~ | ~ |
| Rear | ~ | ~ | ~ | ~ |
| Transom | ~ | ~ | ~ | ~ |
| Windscreen | ~ | ~ | ~ | ~ |
| | | | | - |
| SEATS | | | | |
| Bow Cushions With Back Rest | opt | opt | opt | opt |
| Driver Slide Pedestal | ~ | ~ | ~ | ~ |
| Folding Poor Loungo | | | | |
| Folding Rear Lounge | opt | opt | - | - |
| Folding Rear Lounge (¾) | - | - | opt | opt |
| | | | | |
| Full Upholstered Bucket Swivel | 2 | 2 | 2 | 2 |

| SPECIFICATIONS | 550 | 590 | 6. |
|--|-------------|--------------|----|
| Bottoms (mm) | 4.0 | 4.0 | 4 |
| Sides (mm) | 3.0 | 3.0 | 3 |
| Beam (m) | 2.45 | 2.45 | 2. |
| Depth (m) | 1.30 | 1.36 | 1. |
| Depth (m) Inc. Screen | TBA | 2.11 | 2. |
| Depth (m) Top of Rocket Launcher LOA (m) | TBA 5.82 | 2.62 6.22 | 6. |
| Floor Ribs | 3.82 | 15 | Ю. |
| No. Of Persons | 6 | 6 | |
| Weight Approx (kg) | TBA | 895 | 10 |
| Max Hp | 150 | 150 | 2 |
| Max Motor Weight (kg) | 230 | 230 | 2 |
| FEATURES | | | |
| SAMURAI HULL | ~ | ~ | |
| 5083 Plate 4mm Bottoms with Capped keel & welded strakes | ~ | ~ | |
| Anchorwell With Mounting Plate To Suit Stress Free Mini Winch | ~ | ~ | |
| Baitboard | opt | opt | C |
| Battery & Rack in Stern | ~ | ~ | |
| Boarding Ladder - Heavy Duty | ~ | ~ | |
| Bollard | 3 | 3 | |
| Bungs 38mm | 1 | 1 | |
| Capped Keel | ~ | ~ | |
| Carpeted Step On To Raised Floor | ~ | ~ | |
| Dive Door | ~ | ~ | |
| Flotation – Under Floor | ~ | ~ | |
| Floor – Carpeted Plywood | ~ | ~ | |
| Floor "Tuff Deck" - 3mm Checkplate Wash Down alloywith sump box | - | - | |
| Gunwhale Rubber Inserts | ~ | ~ | |
| Live Bait Tank Plumbed | ~ | ~ | |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ | |
| Pinstriping Reverse Chine | ~ | ~ | |
| | | | |
| Rod Holders (plastic) | 6 | 6 | |
| Sarca Bow Sprit & Roller (Suits Sarca #2) | ~ | ~ | |
| Side Pockets Spray Chines | ~ | | |
| Steering – Hydraulic | ~ | ~ | |
| Stress Free NG Mini with Nylon Rope Kit | opt | opt | C |
| Towing Eye - Double | ✓ | ✓ | |
| Transducer Bracket | ~ | ~ | |
| Walk Around Raised Floor | ~ | ~ | |
| Wide Side Decks | ~ | ~ | |
| TRANSOM | | | |
| UE2 - U/L | ~ | ~ | |
| FUEL TANK | | | |
| Under Floor / Deck Fill (ltr) / Gauge | 175 | 200 | Т |
| ELECTRICAL | | | |
| Accessory Pre Rig Loom With Battery Box & Isolation Switch | · · | ~ | |
| 6 Gang Switch Panel/Bilge Pump/Navigation, Stern & Anchor | ~ | ~ | |
| Light | | | |
| RAILS Heavy Duty 32mm Bow Rails | ~ | ~ | |
| Heavy Duty 32mm Rear Transom Rails | ~ | ~ | |
| SEATS | • | • | |
| Deluxe Upholstered Folding | 2 | 2 | |
| Seat Box's With Tackle Storage To Suit 4x Plano 3700 Series Tackle Trays | ~ | ~ | |
| Seat Slide Driver & Passenger | ~ | ~ | |
| Rear Lounge | opt | opt | C |
| CENTRE CABIN | opt | opt | |
| Bunk Cushions | opt | opt | C |
| Bunk Extensions | | | |
| Bunk Infill | opt | opt | C |
| | opt | opt | C |
| Carpet Covered Bunks - Storage Underneath | ~ | ~ | |
| Cabin Light LED | ~ | ~ | |
| Cabin Lining | opt | opt | C |
| Cabin Hatch | ~ | ~ | |
| Folding Canopy With 6 Rod Holders | ~ | ~ | |
| Rear Instrument Cover | ~ | ~ | |
| Windscreen | ~ | ~ | |
| | | | |







TITAN - WALK AROUND CAB





The TITAN centre cab is a great all round platform for fishing, diving or extended overnight trips.built on the popular Samurai Hull the Titan has 360 degree fishability with easy access to the bow / anchor well – perfect for reef fishing or sports fishing for pelagic. The wide body gives greater deck space and optimal stability with a heavy-duty ladder and dive door giving great access for diving or swimming. The cabin is large enough to sleep two adults with storage below the bunks to stow your gear.

Several factory optional extras are available so you can personalise to suit your needs.

DELUXE BOATS

Rear Instrument Cover

Windscreen

DELUXE BOATS

23







ODYSSEY - CABIN



The ODYSSEY is the perfect combination of cabin boat with optimal deck space at the rear for fishing.

The wide body gives greater deck space and optimal stability with a heavy duty ladder giving ease of access for diving or swimming.

The cabin is large enough to sleep two people with storage below the bunks to stow your gear.

Several factory optional extras are available so you can personalise to suit your needs.

| SPECIFICATIONS | 521 |
|---|----------|
| NexGen Adrenalin Hull | ~ |
| Bottoms (mm) | 3.0 |
| Plate sides (mm) | 3.0 |
| Beam (m) | 2.32 |
| Depth (m) | 1.29 |
| Depth – including screen (m) | 2.06 |
| Floor ribs | 14 |
| Length overall (m) | 5.82 |
| Number of persons | 5 |
| Veight approx (kg) | 590 |
| Maximum hp | 115 |
| Maximum motor weight (kg) | 195 |
| ength Overall (m) | 5.41 |
| FEATURES | |
| Anchor well | ~ |
| Bait Board | Opt |
| Bait tank plumbed – alloy | ~ |
| Battery & oil rack in stern | ~ |
| Boarding ladder – heavy duty | ~ |
| Bollards | 3 |
| Bow sprit & roller | ~ |
| Bung 38mm | 1 |
| Floor – carpet / plywood | ~ |
| Low floor under front bunks | ~ |
| Flotation – under floor | |
| Gunwhale rubber inserts | ~ |
| Keel external | ~ |
| Painted – chine up & inside | ~ |
| Pin stripes | ~ |
| Reverse Chines | ~ |
| Rod holders (plastic) | 6 |
| Side Pocket starboard | ~ |
| Spray chines | ~ |
| Steering mechanical | ~ |
| Towing eye – double | · · |
| Transducer bracket | ~ |
| Wide side decks – Fully welded | ~ |
| TRANSOM | |
| Ultimate Edge 2 | ~ |
| Long Shaft 20" | ~ |
| CABIN | Ont |
| Cabin lining | Opt ~ |
| Carpeted covered bunks – Storage underneath | ~ |
| Rear instrument cover | ~ |
| Cabin hatch Windscreen | ~ |
| winascreen Bunk cushions & infill | Opt |
| FUEL TANK | |
| Under floor / Gunwale fill / gauge (litres) | 90 |
| RAILS | |
| Passenger grab rail | ~ |
| Bow rails 25mm | ~ |
| Transom rails 25mm | ~ |
| SEATS | |
| Seat Box's With Tackle Storage To Suit 4 x Plano 3700 Series Tackle Trays | ~ |
| Seat Slide Driver & Passenger | ~ |
| ELECTRICAL | |
| Accessory pre-rig loom with battery box & isolation switch to suit single | ~ |
| battery | |
| Bilge Pump | ~ |

Live Bait Tank Pump 6 gang switch panel / navigation, stern & anchor light

| SPECIFICATIONS | 550 |
|--|--|
| Bottoms 5083 grade high tensile (mm) | 4.0 |
| Plate sides (mm) | 3.0 |
| Beam (m) | 2.45 |
| Depth (m) | 1.32 |
| Depth – incl. screen (m) | 2.20 |
| Floor ribs | 14 |
| Number of persons | 6 |
| Weight approx (kg) | 753 |
| Maximum hp Maximum motor weight (kg) | 150 230 |
| Overall length (m) | 5.82 |
| | 3.02 |
| FEATURES | |
| Anchorwell with mounting plate to suit stress free mini winch | ~ |
| Live Bait tank plumbed – alloy | ~ |
| Battery & oil rack in stern | ~ |
| Boarding ladder – heavy duty | 3 |
| Bollards | ✓ |
| Sarca bow sprit & roller (suits sarca #2) | 1 |
| Bung 38mm Dive door | |
| Floor – carpet / plywood | ~ |
| Flotation – under floor | ~ |
| Gunwhale rubber inserts | ~ |
| Painted – chine up & inside | ~ |
| Pin stripping | ~ |
| 5083 plate 4mm bottoms with capped keel & welded strakes | ~ |
| Rod holders (plastic) | 6 |
| Spray chines | ~ |
| Steering – hydraulic | ~ |
| Side pockets - cabin | >> |
| Spray chines | ~ |
| Samurai Hull | ~ |
| Towing eye – double | ~ |
| Transducer bracket | ~ |
| Wide side decks – fully welded | ~ |
| TRANSOM | |
| Ultimate Edge 2 – Extra Long Shaft 25" | ~ |
| CABIN | |
| Carpeted covered bunks – storage underneath | ~ |
| Cabin lining | ~ |
| Rear instrument cover | ~ |
| Cabin hatch | ~ |
| Windscreen | ~ |
| FUEL TANK | |
| Under floor / Gunwale filler / gauge (ltr) | 175L |
| | |
| RAILS | , |
| Heavy duty 32mm bow rails | ~ |
| Heavy duty 32mm transom rails | • |
| SEATS | |
| Offshore swiveling bolster seats | 2 |
| Drivers side seat box with tackle storage to suit 6 x plano 4-3730-0 tackle | ~ |
| trays | |
| Passenger side seat box with storage hatch & shelf Seat slide and swivel – driver – passenger swivel only | ~ |
| ELECTRICAL | |
| accessory pre rig loom with battery box & isolation switch to suit single | ~ |
| battery | |
| Bilge Pump | ~ |
| Light (led) – cabin | ~ |
| Light (led) – Navigation | ~ |
| 6 gang switch panel / bilge pump / navigation, stern & anchor light / | ./ |
| battery isolator | • |
| | |







TROJAN - CABIN





Sea Jay Aluminium Boats have taken the cutting edge SAMURAI HULL to the next level with the NEW TROJAN cabin boats that are a true off-shore fishing craft with long range capabilities. The latest generation SAMURAI HULL offers high swept bow section, reverse chines, capped keel and variable dead-rise on a wide body configuration giving optimum ride and performance with great stability at rest. The spacious lined cabin has loads of storage space for fishing and safety gear with V berth bunks to accommodate even the 6 footers. If you're serious about off-shore fishing, then the 630 Trojan HT and it's smaller 5.5m stable mate are made just for you....!!!



TROJAN HT - CABIN





Sea Jay Aluminium Boats have taken the cutting edge SAMURAI HULL to the next level with the NEW TROJAN cabin boats that are a true off-shore fishing craft with long range capabilities. The latest generation SAMURAI HULL offers high swept bow section, reverse chines, capped keel and variable dead-rise on a wide body configuration giving optimum ride and performance with great stability at rest. The spacious lined cabin has loads of storage space for fishing and safety gear with V berth bunks to accommodate even the 6 footers. If you're serious about off-shore fishing, then the 630 Trojan HT and it's smaller 5.5m stable mate are made just for you....!!!
















| SPECIFICATIONS | 630 | 670 |
|--|------|------|
| Bottoms 5083 Plate (mm) | 5.0 | 5.0 |
| Plate Sides (mm) | 3.0 | 4.0 |
| Transom (mm) | 5.0 | 5.0 |
| Beam (m) | 2.48 | 2.48 |
| Hull Length Overall (m) | 6.65 | 6.90 |
| Overall Length Approximate Inc Motor (Down) & Trailer (m) | 8.05 | 8.20 |
| Overall Height Approximate Including Trailer (m) | 3.25 | 3.27 |
| Bunk Length (m) | 1.8 | 1.8 |
| Depth – Internal Floor To Top Of Side Deck (Freeboard) (mm) | 760 | 775 |
| Depth – Keel To Top Of Hard Top (m) | 2.79 | 2.81 |
| LOA (m) | 6.59 | 6.9 |
| Floor Ribs | 16 | 17 |
| No. Of Persons (At 80kg Per Person) | 6 | 6 |
| Weight Approximate – Hull Only Standard Boat (kg) | 1100 | 1195 |
| Weight Approximate – Standard Boat (Dry) / Motor (230kg) / Trailer (Alloy Agr6.5m-14the) (kg) | 1950 | Tba |
| Мах Нр | 200 | 225 |
| Max Motor Weight (kg) | 285 | 295 |
| STANDARD INCLUSIONS | | |
| SAMURAI HULL | ~ | ~ |
| Anchorwell | ~ | ~ |
| Anchorwell Mounting Plate To Suit Stress Free Anchor | ~ | ~ |
| Bait Board Inc 4 X Alloy Rod Holders | ~ | ~ |
| Battery Dual Batteries – In Transom | ~ | ~ |
| Boarding Ladder - Heavy Duty | ~ | ~ |
| Bollards – 1 X Front, 2 X Rear | ~ | ~ |
| Bow Sprit To Suit Sarca Anchor | ~ | ~ |
| Sarca Bowsprit & Roller (Suits Sarca #3) | ~ | ~ |
| Bungs – Alloy 38mm | 1 | 1 |
| Cabin Hatch With Support Stay | ~ | ~ |




| SPECIFICATIONS | 630 | 670 |
|---|-----|-----|
| Cabin Storage – Under Bunks | ~ | ~ |
| Checker Plate Drop Down Foot Well (Drained) | ~ | ~ |
| Checker Plate Main Floor | ~ | ~ |
| Dash Drink Holders | 2 | 2 |
| Dash Glove Box | ~ | ~ |
| Dive Door | ~ | ~ |
| Floatation – Foam | ~ | ~ |
| Floor – 3mm Checker Plate Wash Down Alloy Floor With Sump Box | ~ | ~ |
| Foot Rests – Driver & Passenger Side | ~ | ~ |
| Glass Windscreen 3 Piece | ~ | ~ |
| Glass Window - 2 Sliding | ~ | ~ |
| Hard Top – Alloy | ~ | ~ |
| Hood Lining - Cabin (Roof & Sides) | ~ | ~ |
| Inspection Port X 1 (In Cockpit Floor) | ~ | ~ |
| Instrumentation Dash | ~ | ~ |
| Kill Tank Self Flooding | ~ | ~ |
| Live Bait Tank Plumbed | ~ | ~ |
| Non Skid Top Deck | ~ | ~ |
| Overhead Radio Console | ~ | ~ |
| Painting Inside & Out (White or Pipeline Grey) | ~ | ~ |
| Pinstriping | ~ | ~ |
| Plate Style Electric Trim Tabs | ~ | ~ |
| Rear Instrument Cover | ~ | ~ |
| Reverse Chine | ~ | ~ |
| Rocket Launcher With 8 X Alloy Rod Holders | ~ | ~ |
| Rod Holders (Alloy) – In Wide Side Decks | 6 | 6 |
| Side Pockets (Extra Long) | 2 | 2 |
| Spray Deflector Strake | ~ | ~ |
| Steering Assembly Cover | ~ | ~ |
| Sump Box With Bilge Pump And Alloy Bung With Drain Overboard | ~ | ~ |
| Tackle Storage In Transom To Suit 5 X 237002 Series Plano Tackle Trays | ~ | ~ |
| Transducer Brackets | 2 | 2 |
| Transom Boarding Platform - Non Skid | ~ | ~ |
| | | |

| SPECIFICATIONS | 630 | 670 |
|--|------------|-----|
| Towing Eye (Double) – Heavy Duty | ~ | ~ |
| Trim Tab Brackets | 2 | 2 |
| Wide Side Decks | ~ | ~ |
| ELECTRICAL | | |
| Accessory Pre Rig Loom – To Suit Dual Battery | ~ | ~ |
| Gme Gx700 Vhf Radio Flush Mounted With 1.8m Aerial | ~ | ~ |
| Battery Storage (Large) | 2 | 2 |
| Battery Master / Isolation Switch (Bep) Dual | ~ | ~ |
| Bilge Pump | ~ | ~ |
| Bilge Pump Sump Box | ~ | ~ |
| Light (Led) – Cabin X 1 | ~ | ~ |
| Light (Led) – Underside Of Hardtop X 1 | ~ | ~ |
| Light (Led) – Anchor Folding (On Hard Top) | ~ | ~ |
| Light (Led) – Navigation | ~ | ~ |
| Power Socket 12v With Usb | ~ | ~ |
| Switch Panel 4 Gang X 2 | ~ | ~ |
| Trim Tabs With Indicator Switch | ~ | ~ |
| 6 Gang Fuse Panel (5 Spare Circuits) | ~ | ~ |
| FUEL TANK | | |
| Under Floor / Deck Fill (Ltr) / Sender | 210 | 270 |
| RAILS | | |
| Heavy Duty 32mm Bow And Transom Rails | ~ | ~ |
| Grab Handles - Around Hard Top | ~ | ~ |
| SEATS | | |
| Bolster Seats | 2 | 2 |
| Drivers Side Seat Box With Tackle Storage To Suit 6 X Plano 4-3730-0 Tackle Trays | ~ | ~ |
| Passenger Side Seat Box With Storage Hatch & Shelf | ~ | ~ |
| Seat Slide And Swivel – Driver – Passenger Swivel Only | ~ | ~ |
| STEERING | | |
| Hydraulic Steering | ~ | ~ |
| Sports Steering Wheel | ~ | ~ |
| TRANSOM | | |
| UE2 - U/L | ~ | ~ |
| OPTIONS | | |
| Bunk Infill | opt | opt |
| Cabin Bunk Cushions (3" Foam) 5 Piece | opt | opt |
| Carpet On Inside Of Cabin Walls | opt | opt |
| Coloured Sides | opt | opt |
| Gme Gx400 27mhz Radio Flush Mounted With 1.8m Aerial | opt | opt |
| | opt | opt |
| Printed Vinyl Wrap | | |
| Printed Vinyl Wrap Rear Lounge ½ & Back Rest | opt | opt |
| | opt opt | opt |
| Rear Lounge ½ & Back Rest | | |

| ATIONS | 630 | 670 |
|---|----------|-----|
| ouble) – Heavy Duty | ~ | ~ |
| kets | 2 | 2 |
| cks | ~ | ~ |
| | | |
| Rig Loom – To Suit Dual Battery | ~ | ~ |
| nf Radio Flush Mounted With 1.8m Aerial | ~ | ~ |
| ge (Large) | 2 | 2 |
| r / Isolation Switch (Bep) Dual | ~ | ~ |
| | ~ | ~ |
| ump Box | ~ | ~ |
| Cabin X1 | ~ | ~ |
| Inderside Of Hardtop X 1 | ~ | ~ |
| anchor Folding (On Hard Top) | ~ | ~ |
| Navigation | ~ | ~ |
| 12v With Usb | ~ | ~ |
| 4 Gang X 2 | ~ | ~ |
| h Indicator Switch | ~ | ~ |
| Panel (5 Spare Circuits) | ~ | ~ |
| | | |
| Deck Fill (Ltr) / Sender | 210 | 270 |
| | | |
| 2mm Bow And Transom Rails | ~ | ~ |
| - Around Hard Top | ✓ | ~ |
| | | |
| | 2 | 2 |
| eat Box With Tackle Storage To Suit 6 X Plano de Trays | ~ | ~ |
| le Seat Box With Storage Hatch & Shelf | ~ | ~ |
| d Swivel – Driver – Passenger Swivel Only | ~ | ~ |







28 DELUXE BOATS DELUXE BOATS 29 www.seajayboats.com.au www.seajayboats.com.au

VINYL WRAP DESIGN



Teal Crush

Imperial Purple Blue Ice



Ocean Blue







Aurora

Sunset

For the latest & additional information on

www.seajay.com.au/paint/ or scan the QR Code with your


Smart Phone








Brilliant Blue





Storm Black


















Chilli Red Fire Storm Red

30 DELUXE BOATS DELUXE BOATS 31 www.seajayboats.com.au www.seajayboats.com.au


ACCESSORIES



Floor - Full



Floor - Part



Floor - Three Quarter



Floor - Front



Floor - Rear



Part Casting Platform



Rear Step & Rail



Rod Locker Above Floor



Side Pocket



Short Front Rails

Baitboard Standard

Folding Alloy Targa




Short Rear Rail



Plastic Rod Holder



Alloy Rod Holder



Seat Socket



Full Upholstered Folding Seat



Storage Box with Upholstered Lid



Anchor Well Suits Standard Decks



Side Console 4.85 - 5.0m Folding Console



Bow Spit & Roller



Small Bollard



Baitboard Deluxe suits Vision/Velocity/Trojan Models Only



Deck Filler



Accessory Pre Rig Kit



Electric Motor Plate



Electric Motor Plate extended off Gunwhale



Live Bait Tank - In Floor



Live Bait Tank - Plastic



Removable Baitboard



Ski Tow Eye

Sounder Mount Plate



Switch Mount Plate



Transducer Bracket



Drink Holder - Standard



Live Bait Tank - Alloy



Full Tank Rack



Half Tank Rack Suits 45ltr Tank



Deck Wash - Salt Water



Handles & Rope Cleat

www.seajayboats.com.au



DELUXE BOATS 33 www.seajayboats.com.au

Warranty

Sea Jay Group Pty Ltd A.C.N. 141 380 298

This document states terms of the Warranty given by the Company in respect of products manufactured by it.

1. INTERPRETATION

In this document:-

- 1.1 "The Company" means Sea Jay Group Pty Ltd A.C.N. 141 380 298.
- 1.2 "The Purchaser" means the original person or entity of any boat sold through an authorised Sea Jay Boats Dealership.
- 1.3 "Boat" means any aluminium boat or accessory manufactured by the Company.
- 1.4 "Warranty Period" means the period of two years (24 months) from the date of delivery to the ORIGINAL purchaser.

2.0 WARRANTY

- 2.1 The Company warrants to the Purchaser that:-
- 2.1.1 The quality of the materials used in the construction of the boat is in accordance with or above, the standard usual in the aluminium boat building industry; and
- 2.1.2 The boat will remain free of defects during the warranty period.

3.0 WORKS UNDER WARRANTY

- 3.1 To obtain the benefit of the warranty the Purchaser must return the boat to its place of purchase.
- 3.2 Warranty does not cover any consequential expenses beyond the warranty repair itself. Eg. Freighting
- 3.3 Sea Jay Boats shall not be liable for consequential loss of any kind arising out of the supply or

operation of the Boat.

4.0 EXCLUSIONS

- 4.1 The warranty will not cover any defect or damage caused by:-
- 4.1.1 Operating outside design limitations
- 4.1.2 Misuse, abuse or negligence
- 4.1.3 Normal Wear and Tear
- 4.1.4 Use of a motor which has more power or weight than recommended on the compliance plate attached to the Boat.
- 4.1.5 Improper Trailer fitup. Eg. Incorrect tie down of Boat to Trailer, no Engine support bracket and off road use.
- 4.2 Paint is not warranted against the effects of oxidisation, wear and tear, electrolysis or damage caused by fuel and dissimilar metals. This also includes normal oxidization around unsealed edges and fittings.
- 4.3 Factory fitted parts, fittings or extras are subject to a 1 year (12 month) limited warranty only. Such items include but not limited to:- Vinyl Wraps, Carpet, Upholstery, Pre-Rigging and Windscreens (including console screens) etc. etc.
- 4.4 Vinyl Wraps are warranted against defective application, NOT against Damage caused by solvent/petrol etc or damage due to misuse
- 4.5 Any alterations / modifications to the Boat once it has left the factory will void any/all remaining warranty.

5.0 COMMERCIAL USE

- 5.1 Due to the variance in usage and conditions which may be experienced, the Purchaser must be satisfied the intended Boat is suited for commercial applications.
- 5.2 This Warranty does not cover any boat which has been used for a commercial purpose.

6.0 EXCLUSION OF FURTHER WARRANTIES

6.1 Except as stated in this document, no warranty express or implied is given by the Company except any warranty which is implied by law.

General Maintenance

It is important to follow a few basic rules in providing regular maintenance to your new vessel.

- · Always thoroughly wash your entire vessel with fresh water and mild detergent after use.
- A spray of a protective lanolin based product should be re-applied after washing, to all areas where dissimilar metals are fitted. eg. Any Stainless Steel fittings (Windscreen Bolts, Rod Holders, Baitboard etc.)

• If an accessory is fitted after market (not factory fitted) it is important to spray a protective landlin based product to these areas where salt or moisture can be attracted.





DEALER NETWORK

Our National Dealer Network will provide you with updated information and marketing of our product. As fishing and boating needs differs in various parts of our nation, our Dealer Network will provide the right product for their area. However if your needs call for a variation. Sea Jay have a range of optional accessories and fittings to meet your needs.

DISCLAIMER

As Sea Jay continues to make improvements to our product, we do reserve the right to change any details that are contained herein.

All specifications quoted are approximate and subject to change.

Please note that photos may show accessories or options that are not standard, please check the features for the standard options applicable.

For further information on the Sea Jay Model range please contact your authorised Dealer as Sea Jay Aluminium Boats do not sell our Pressed Range direct from the factory.

DELUXE BOATS

PRINTED JANUARY 2023

| For more information, contact your authorised Sea Jay Boats dealer | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

