




OPEN BOATS ||

EDITION 12.3



SEA JAY

A L U M I N I U M B O A T S

Introducing Who We Are

Sea Jay Aluminium Boats is a family company founded by Col and Janelle Glass in 1989. Boating has always played a major part in their family life spanning many years. Both Col and Janelle have been proactive in many aspects of boating including recreational fishing, tournament fishing (for the mighty Barra), water skiing and boat racing. Manufacturing aluminium boats became a natural progression into the boating industry although they never dreamed their "Sea Jay Aluminium Boats" brand would one day become a household name throughout Australia.

Joining his parents with their passion Troy Glass became an employee of the company in 1999. Completing his apprenticeship within the industry, Troy soon put his theoretical and practical knowledge to good use and became the manager of research and development. In 2010, Troy became a part owner of Sea Jay Boats further strengthening the family values associated within the company.

Constantly growing since its inception, the Sea Jay Boats factory now covers 7,000m² and with 2,280m² under roof, provides the necessary room to build Sea Jay's pressed and plate range of aluminium boats.

Sea Jay Advantage

With over 70 models to choose from ranging in size from 2.45m to 6.1m Sea Jay has models to cover all boating enthusiasts. Our boats are made to the highest level of workmanship and come with Quality fittings and various options. Due to the quality of build you can also rest assured that with Sea Jay you are buying a boat that not only looks good but also has great Stability and Performance. High side and wide beams are available ensuring strength, protection and the all important space you require. Whether you are newbie to the water ways, a seasoned pro, expert fisherman or recreational boatie, Sea Jay will have a model for you. Models also available for the commercial sector.

Commitment

Sea Jay bring their product to you with personal pride and trust you will enjoy many memorable moments on some of the best waterways this country has to offer. Only the highest quality marine grade aluminium and components are used to construct one of the most robust range of boats with a quality of finish enviable of other brands on the market today.

What a better way to relax by GETTING AMONGST IT in a quality Sea Jay Aluminium Boat you can rely on and trust.



Contents

INTRODUCTION	2
SQUARE NOSE	
Punt	4
V NOSE	
Creek Masta	5
Nomad / Nomad HS	6
OPEN BOAT	
Angler	8
X Pack 2	10
Magnum2	11
Magnum	12
WARRANTY	14
GENERAL MAINTENANCE	15




Further Sea Jay Models available in the Sea Jay Deluxe Catalogue. Please ask your dealer or contact the factory for a copy. Brochure Downloads are also available on the website.

Research & Development

Our Research & Development department is responsible for innovations in products, design, construction and style. Completely managed at our factory, our R&D team are relentless in the pursuit of creating innovative new products to keep Sea Jay Aluminium Boats one step ahead of the competition. Some of the key elements focused on are as follows.

- New model research and advancement
- Source and incorporate new and innovative products
- Continual revision and enhancement of current models
- Refine and modernise production processes
- Acquire and learn new Technologies to improve hull design and function



Quality & Workmanship

- Quality and pride in workmanship is an important aspect of the manufacturing process.
- Sea Jay ensures employees build their product with the pride of workmanship they would expect in a boat of their own. This motto is carried through the entire manufacturing process.
- Sea Jay employees receive on the job training by qualified personal.
- A quality checking system is in place to check material and product at each stage throughout the manufacturing process. All attempts are made to provide a quality product to enter the market place.



PUNT - SQUARE NOSE

When stability is paramount in a small boat, you cannot go past our Square Nose Punt range of tinnies. With a true flat bottom, our punt offers an extremely stable platform while creating minimal draft making it perfect for motoring through shallow water. The square nose punt is perfectly suited for crabbing, throwing a cast net and fishing which is why it still remains an old favourite with fishermen today.



SPECIFICATIONS

	3.0	3.5	3.7	3.85	4.1
bottoms (mm)	1.6	1.6	1.6	1.6	1.6
sides (mm)	1.6	1.6	1.6	1.6	1.6
beam (m)	1.32	1.52	1.52	1.52	1.66
depth (m)	0.54	0.56	0.56	0.56	TBA
floor ribs	4	6	7	7	7
no. of persons	2	3	3	3	3
weight approx (kg)	60	79	81	87	TBA
recommended / max hp	4/4	8/10	8/10	10/15	15/20
max motor weight (kg)	21	42	42	47	55

FEATURES

bungs - 38mm x 2	•	•	•	•	•
cast platform (part) - forward of front seat	opt	opt	opt	opt	opt
Deck - flat	•	•	•	•	•
handle - front (forward off gunwhale)	•	•	•	•	•
handles - rear	•	•	•	•	•
Rails - front & rear	opt	opt	opt	opt	opt
rear corner gussets	•	•	•	•	•
rowlocks	•	•	•	•	•
towing eye - double	•	•	•	•	•

TRANSOM

transom short shaft	•	•	•	•	•
---------------------	---	---	---	---	---

SEATS

welded thwart	•	•	•	•	•
---------------	---	---	---	---	---



For the latest & additional information on this model please visit www.seajayboats.com.au/models/square-nose-punt/punt or scan the QR Code with your Smart Phone



SPECIFICATIONS

3.5 3.7 3.85

bottoms (mm)	1.6	1.6	1.6
sides (mm)	1.6	1.6	1.6
beam (m)	1.48	1.65	1.68
depth (m)	0.68	0.73	0.73
floor ribs	5	7	8
no. of persons	3	4	4
weight approx (kg)	110	126	133
rec hp	15	15	20
max hp	15	20	25
max motor weight (kg)	47	55	73

FEATURES


bungs 38mm x 2	•	•	•
handle - rear (starboard side)	•	•	•
front handles	•	•	•
spray chines	•	•	•
1 x short side pockets	•	•	•
sounder mount plate	•	•	•
carpeted tank rack	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
3/4 floor - carpeted plywood	•	•	•
part front cast with hatch	•	•	•
minnkota plate on front deck	•	•	•
battery rack	•	•	•

TRANSOM

standard long or short shaft	•	•	•
------------------------------	---	---	---

SEATS

welded thwart front & rear	•	•	•
----------------------------	---	---	---



CREEK MASTA - V NOSE

The CREEK MASTA is a v-nose model that is an extension from our standard nomad, taking this model to the next level. This models as the name suggests would be a good little boat for sleeeking around the creeks and estuaries, with the part cast platform this gives a stable platform for flicking a lure, throwing a cast net or setting the crab pot. A minnkota plate on the front deck allows the use of an electric outboard and the part floor makes moving around a breeze. Take a look at the features and specifications of this model as it is sure to please.



For the latest & additional information on this model please visit www.seajayboats.com.au/models/open-boat/creek-masta/ or scan the QR Code with your Smart Phone

NOMAD - VNOSE & NOMAD HS - VNOSE (75mm higher sides)

Embark on an adventure today in a Sea Jay's premium car topper range, the Nomad. Our Nomad range has a unique v-nose entry that helps slice through swell and chop while the bottoms flatten out toward the transom allowing greater stability at rest. The smaller models make loading onto a roof rack, camper trailer or caravan effortless due to their flat deck and handles forward off the gunwhales. Not only does this prevent anything catching, but also reduces the risk of damaging both your boat and racking. Our Nomad HS (75mm higher sides) is also well suited for car topping and very appealing for the estuaries of the Top End.



SPECIFICATIONS

	3.2	3.5	3.7	3.85	4.1	4.4
bottoms (mm)	1.6	1.6	1.6	1.6	1.6	2.0
sides (mm)	1.6	1.6	1.6	1.6	1.6	1.6
beam (m)	1.43	1.48	1.65	1.68	1.79	1.90
depth (m)	0.61	0.68	0.73	0.73	0.88	0.99
floor ribs	4	5	7	8	9	10
no. of persons	2	3	4	4	4	4
weight approx (kg)	59	68	85	92	114	158
rec hp	6	10	15	20	25	30
max hp	8	15	20	25	30	40
max motor weight (kg)	42	47	55	73	80	110

FEATURES

bungs – 38mm x 2	•	•	•	•	•	•
cast platform – front / carpeted / hatch	opt	opt	opt	opt	opt	opt
cast platform (part) – forward of front seat	opt	opt	opt	opt	opt	opt
deck – flat	•	•	•	•	•	•
gunwhale rubber inserts	-	-	-	-	-	-
handles – front (forward off gunwhale)	•	•	•	•	•	•
handles – rear	•	•	•	•	•	•
rear corner gussets	•	•	•	•	•	•
rope shelf	-	•	•	•	•	•
rowlocks	•	•	•	•	•	•
spray chines	•	•	•	•	•	•
towing eye – double	•	•	•	•	•	•

TRANSOM

standard (s/s)	•	•	•	•	•	•
standard (l/s)	-	•	•	•	•	•

RAILS

bow – short	opt	opt	opt	opt	•	•
-------------	-----	-----	-----	-----	---	---

SEATS

welded thwart	•	•	•	•	•	•
---------------	---	---	---	---	---	---

NOMAD HS

75mm higher sides	-	•	•	•	-	-
beam (m) HS	-	1.53	1.73	1.84	-	-
depth (m) HS	-	0.76	0.81	0.81	-	-
weight approx. (kg) HS	-	71	88	95	-	-



For the latest & additional information on this model please visit www.seajayboats.com.au/models/v-nose-punt/nomad or scan the QR Code with your Smart Phone

ANGLER - OPEN BOATS

Our Angler models are the start of our open boat line up. These smaller dinghies are perfect for the novice angler looking for their first boat as they are hassle free and easy to maintain. Light weight yet tough, these models are well suited for car topping if so desired with our 2.45 model being purpose built to be used as a tender. The Angler model offers an affordable boating option which is compact and nimble that will take you places other larger boats can't reach.



SPECIFICATIONS

2.45

3.15

3.55

3.75

3.85

bottoms (mm)	1.6	1.6	1.6	1.6	1.6
sides (mm)	1.6	1.6	1.6	1.6	1.6
beam (m)	1.41	1.52	1.55	1.62	1.68
depth (m)	0.65	0.65	0.81	0.88	0.9
floor ribs	3	5	6	6	7
no. of persons	2	3	3	4	4
weight approx (kg)	45	62	76	86	92
rec hp	3	8	10	15	20
max hp	3	10	15	20	25
max motor weight (kg)	17	42	47	55	73

FEATURES

bungs – 38mm x 2	•	•	•	•	•
deck – flat	•	•	•	•	•
handles – front (forward off gunwhale)	•	•	•	•	•
handles – rear	-	•	•	•	•
rear corner gussets	•	•	•	•	•
rope shelf	-	•	•	•	•
rowlocks	•	•	•	•	•
spray chines	-	-	-	•	•
towing eye – double	•	•	•	•	•

TRANSOM

standard (s/s)	•	•	•	•	•
standard (l/s)	-	•	•	•	•

SEATS

riveted thwart	•	-	-	-	-
welded thwart	-	•	•	•	•



For the latest & additional information on this model please visit www.seajayboats.com.au/models/open-boat/angler or scan the QR Code with your Smart Phone

XPACK² - OPEN BOATS

Built on the foundation of our Magnum² range, our Xpack² series comes standard with additional features that further enhance the usability of these models. Wide side decks have been fitted for greater strength but also to allow for rod holders to be fitted with ease. A large rear step and rail has also been added providing ease of entry especially when pushing off from a boat ramp by yourself. A switch panel plate and navigation light plates come standard, ready for when you want to wire up your lights and bilge pump and the front handles have been replaced with rails for a more polished look.

Xpack, practical options that work!



SPECIFICATIONS

	4.0	4.25	4.4
bottoms (mm)	2.0	3.0	3.0
sides (mm)	1.6	-	-
plate sides (mm)	-	2.5	2.5
beam (m)	1.80	1.84	1.97
depth (m)	TBA	0.91	1.00
floor ribs	8	9	10
no. of persons	4	4	4
weight approx (kg)	TBA	224	229
rec hp	25	30	30
max hp	30	40	40
max motor weight (kg)	90	105	110

FEATURES

bungs 38mm x 2	•	•	•
gunwhale rubber insert	•	•	•
handle - rear (starboard side)	•	•	•
rope cleat	•	•	•
spray chines	•	•	•
2 x short side pockets	•	•	•
step & rail- port side	•	•	•
switch panel plate	•	•	•
carpeted tank rack	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
wide side decks	•	•	•
part floor floor - carpeted plywood	•	•	•
part front cast with hatch	•	•	•
plastic ancor well with drain	•	•	•

TRANSOM

standard (l/s)	•	•	•
----------------	---	---	---

RAILS

short front	•	•	•
rear rails	•	•	•

SEATS

welded thwart front & rear	•	•	•
----------------------------	---	---	---



For the latest & additional information on this model please visit www.seajayboats.com.au/models/open-boat/xpack or scan the QR Code with your Smart Phone



SPECIFICATIONS

4.0

4.25

4.4

bottoms (mm)	2.0	3.0	3.0
sides (mm)	1.6	-	-
plate sides (mm)	-	2.5	2.5
beam (m)	1.80	1.84	1.97
depth (m)	0.95	0.91	1.00
floor ribs	8	9	10
no. of persons	4	4	4
weight approx (kg)	158	198	212
rec hp	25	30	30
max hp	30	40	40
max motor weight (kg)	90	105	110

FEATURES

bungs 38mm x 2	•	•	•
gunwhale rubber insert	•	•	•
handle - rear (starboard side)	•	•	•
rope cleat	•	•	•
spray chines	•	•	•
2 x short side pockets	•	•	•
step & rail- port side	•	•	•
switch panel plate	•	•	•
carpeted tank rack	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
floor ¾ - carpeted plywood	•	•	•
part front cast with hatch	•	•	•
plastic ancor well with drain	•	•	•

TRANSOM


standard (l/s)	•	•	•
----------------	---	---	---

RAILS

short front	•	•	•
rear rails	•	•	•

SEATS

welded thwart front & rear	•	•	•
----------------------------	---	---	---



MAGNUM² - OPEN BOATS

The new era Magnum, traditionally a dinghy with two thwarts seats was a standard dinghy requirement, now a dinghy to meet our changing times.

The Magnum² has a 3mm bottom and 2.5mm plate sides as standard, the traditional two thwart seats are still featured, however a part cast platform is fitted off the front thwart seat. An anchorwell (plastic with drain) is a practical addition in the front deck, as well as a wide ¾ floor fitted between the seats, with a carpeted tank rack behind the rear thwart. Also to make life easier a rear step and rail on the portside has been fitted, as well as front rails with navigation light plates and rear rails also add to the features. Whether your boat is big or small, electronics is nearly always a requirement so a switch panel plate is fitted for this purpose.



For the latest & additional information on this model please visit www.seajayboats.com.au/models/open-boat/magnum2 or scan the QR Code with your Smart Phone

MAGNUM - OPEN BOATS

The Magnum range comprises of our larger open boat models that are built as a robust aluminium dinghy providing years of trouble free boating. Wide beams are a standard feature throughout the Magnum range producing a stable platform with high sides creating added safety especially when children are on board. All models 4.55 and up boast our Sure Trac Hull for enhanced performance as well as 3mm sides for extra strength and durability. With a model to suit even the budget conscious, our Magnum range will help make your boating experience a memorable one.



SPECIFICATIONS

4.55

4.85

5.35

6.0

bottoms (mm)	3.0	3.0	3.0	4.0
plate sides (mm)	3.0	3.0	3.0	3.0
beam (m)	2.05	2.14	2.20	2.30
depth (m)	1.08	1.09	1.10	1.18
floor ribs	11	13	14	16
no. of persons	5	5	6	6
weight approx (kg)	247	297	347	433
rec hp	40	50	50	60
max hp	50	60	60	75
max motor weight (kg)	120	120	120	175

FEATURES


bollard – front	•	•	•	•
bungs – 38mm x 2	•	•	•	•
floor (¾) – carpeted plywood	-	-	-	-
floor – front / part / rear carpeted plywood	-	-	-	-
floor (part) – carpeted plywood	•	•	•	•
floor – behind rear seat	•	•	•	•
flotation – under floor	-	-	-	-
gunwhale rubber inserts	•	•	•	•
handles – front & rear	•	•	•	•
rear corner gussets	•	•	•	•
rope cleat	-	-	-	-
rope shelf	•	•	•	•
spray chines	•	•	•	•
sure trac hull – reverse chine	•	•	•	•
tank rack	-	-	-	-
towing eye – double	•	•	•	•
transducer bracket	•	•	•	•
wide side decks	-	•	•	•

TRANSOM

standard (l/s)	•	•	•	•
----------------	---	---	---	---

SEATS

welded thwart	•	•	•	•
---------------	---	---	---	---



For the latest & additional information on this model please visit www.seajayboats.com.au/models/open-boat/magnum or scan the QR Code with your Smart Phone

Warranty

SEAJAY GROUP PTY LTD ACN 141 380 298

This document states terms of the Warranty given by the Company in respect of products manufactured by it.

1. INTERPRETATION

“The Company” means SEAJAY GROUP PTY LTD ACN 141 380 29

“The Purchaser” means the original person or entity of any boat sold through an authorised SeaJay Boats Dealership.

“Boat” means any aluminium boat or accessory which is manufactured by the Company.

“Warranty Period” means the period of two years (24 months) from the date of delivery to the ORIGINAL purchaser.

In this document:-

2. WARRANTY

The Company warrants to the Purchaser that:-

- The quality of the materials used in the construction of the boat are in accordance with, or above, the standard usual in the aluminium boat building industry; and
- The boat will remain free of defects during the warranty period.

3. WORKS UNDER WARRANTY

- To obtain the benefit of the warranty the Purchaser must return the boat to the place of purchase.
- Warranty does not cover any consequential expenses beyond the warranty repair itself. Eg. Freight
- SeaJay Boats shall not be liable for consequential loss of any kind arising out of the supply or operation of the Boat.

4. EXCLUSIONS

The warranty will not cover any defect or damage caused by:-

- Operating outside design limitations:
- Misuse, abuse or negligence
- Normal Wear and Tear.
- Use of a motor which has more power or weight than is recommended on the compliance plate attached to the Boat.

- Improper Trailer fitup. Eg. Incorrect tie down of Boat to Trailer, the use of multi roller Trailers, no Engine support bracket and off road use.
- Paint is not warranted against the effects of oxidization, wear and tear, electrolysis or damage caused by fuel and dissimilar metals. This also includes normal oxidization around unsealed edges and fittings.
- Carpet, Timber Floors , Upholstery and Windscreens (including console screens) are limited to a 12 month warranty only.
- Any alterations / modifications to the Boat once it has left the factory will void any/all remaining warranty.

5. COMMERCIAL USE

Due to the variance in usage and conditions which may be experienced, the Purchaser must be satisfied the intended Boat is suited for commercial applications.

This Warranty does not cover any boat which has been used for a commercial purpose.

6. EXCLUSION OF FURTHER WARRANTIES

Except as stated in this document, no warranty express or implied is given by the Company except any warranty which is implied by law.



Disclaimer

As Sea Jay continues to make improvements to our product, we do reserve the right to change any details that are contained herein.

All specifications quoted are approximate and subject to change.

Please note that photos may show accessories or options that are not standard, please check the features for the standard options applicable.

For further information on the Sea Jay Model range please contact your authorised Dealer as Sea Jay Aluminium Boats do not sell our Pressed Range direct from the factory.

Dealer Network

Our National Dealer Network will provide you with updated information and marketing of our product. As fishing and boating needs differs in various parts of our nation, our Dealer Network will provide the right product for their area. However if your needs call for a variation. Sea Jay have a range of optional accessories and fittings to meet your needs.



General Maintenance

It is important to follow a few basic rules in providing regular maintenance to your new vessel.

- Always thoroughly wash your entire vessel with fresh water and mild detergent after use.
- A spray of a protective lanolin based product should be re-applied after washing, to all areas where dissimilar metals are fitted. eg. Any Stainless Steel fittings (Windscreen Bolts, Rod Holders, Baitboard etc.)
- If an accessory is fitted after market (not factory fitted) it is important to spray a protective lanolin based product to these areas where salt or moisture can be attracted.
- Leave your vessel permanently tilted to drain after use.

More Detailed information is available within our Owners Manual.





For more information, contact your authorised Sea Jay Boats dealer



2 MADDISON COURT, BUNDABERG QLD 4670
PH: 07 4152 2111 FAX: 07 4153 5075
WEB: WWW.SEAJAYBOATS.COM.AU



EDITION 12.3 - PRINTED NOVEMBER 2015