

# SEA JAY

ALUMINIUM BOATS



## OPEN BOATS CATALOGUE

EDITION 10.2



## OUR COMMITMENT

Sea Jay bring their product to you with their personal pride and trust you will enjoy many memorable moments on some of the best waterways this country offers. What a better way to relax by "GETTING AMONGST IT" in a quality Sea Jay Aluminium Boat you can rely on and trust.

## INTRODUCING WHO WE ARE

Sea Jay Aluminium Boats is a family company owned by Col and Janelle Glass, established in Bundaberg in 1989. Boating has played a major part in the family life over many years, having been involved in boating from a young age as recreational fishermen, water skiers and boat racing, hence the involvement in the boating industry. With premises covering 7,000m<sup>2</sup> and with 2,280m<sup>2</sup> under cover this provides easy movement for product and supplies.

**Edition 10.2 - Dated 30th November, 2010**



# SQUARE NOSE PUNT



3.7m



3.7m



STANDARD HULL FEATURES	3.5	3.7	3.85
bungs - 38 mm x 2	•	•	•
deck - flat	•	•	•
handles - front x 1 / rear x 2	•	•	•
rear corner gussets	•	•	•
rowlocks	•	•	•
towing eye - double	•	•	•
SEATS	3.5	3.7	3.85
welded thwart	•	•	•
TRANSOM	3.5	3.7	3.85
standard (s/s)	•	•	•
FACTORY OPTIONS	3.5	3.7	3.85
cast platform (part) - forward of front seat	•	•	•
rails - front & rear	•	•	•
SPECIFICATIONS	3.5	3.7	3.85
bottom	1.6 mm	1.6 mm	1.6 mm
sides	1.6 mm	1.6 mm	1.6 mm
transom	2.0 mm	2.0 mm	2.0 mm
beam	1.52 m	1.52 m	1.52 m
depth	0.56 m	0.56 m	0.56 m
floor ribs	6	7	7
no. of persons	3	3	3
weight - approx	tba	81 kg	87 kg
recommended horsepower	6 hp	8 hp	10 hp
maximum horsepower	8 hp	10 hp	15 hp
maximum motor weight	42 kg	42 kg	47 kg

## PUNT MODELS

The Square Nose Punt is an old favourite with fisherman as it offers the original stable platform and has minimal draft making it suitable in shallow water. This model is well suited to the smooth waters of our estuaries and creeks where you can to set a pot or two.



# V-NOSE NOMAD



3.5m



3.2m



3.7m



3.85m

with Optional Rails

**NOMAD MODELS**

Traverse the waterways and have an adventure this weekend in a Sea Jay Nomad. In choosing a "Nomad" you have the benefits of a stable platform at rest with a smooth and dry ride while motoring. Available in six hull sizes with our smaller sizes well suited to car topping.



# V-NOSE NOMAD



4.1m



4.4m

STANDARD HULL FEATURES	3.2	3.5	3.7	3.85	4.1	4.4
bungs - 38 mm x 2	•	•	•	•	•	•
gunwhale rubber insert	—	—	—	—	•	•
handles - front	•	•	•	•	—	—
handles - rear	•	•	•	•	•	•
rear corner gussets	•	•	•	•	•	•
rope shelf	—	•	•	•	•	•
rowlocks	•	•	•	•	•	•
spray chines	—	•	•	•	•	•
towing eye - double	•	•	•	•	•	•
RAILS	3.2	3.5	3.7	3.85	4.1	4.4
bow - short	—	—	—	—	•	•
SEATS	3.2	3.5	3.7	3.85	4.1	4.4
welded thwart	•	•	•	•	•	•
TRANSOM	3.2	3.5	3.7	3.85	4.1	4.4
standard (s/s)	•	•	•	•	•	—
standard (l/s)	—	•	•	•	•	•
FACTORY OPTIONS	3.2	3.5	3.7	3.85	4.1	4.4
cast platform - front / carpeted / hatch	—	—	•	•	•	•
cast platform (part) - forward of front seat	•	•	•	•	•	•
bow rails - short	•	•	•	•	—	—
SPECIFICATIONS	3.2	3.5	3.7	3.85	4.1	4.4
bottom	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm	2.0 mm
sides	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm
transom	2.0 mm	2.0 mm	2.0 mm	2.0 mm	2.0 mm	2.5 mm
beam	1.43 m	1.48 m	1.65 m	1.68 m	1.79 m	1.9 m
depth	0.61 m	0.68 m	0.73 m	0.73 m	0.88 m	0.99 m
floor ribs	4	5	8	8	9	10
no. of persons	2	3	4	4	4	4
weight - approx	59 kg	68 kg	85 kg	92 kg	114 kg	158 kg
recommended horsepower	6 hp	10 hp	15 hp	20 hp	25 hp	30 hp
maximum horsepower	8 hp	15 hp	20 hp	25 hp	30 hp	40 hp
maximum motor weight	42 kg	47 kg	55 kg	73 kg	80 kg	110 kg





# OPEN BOAT ANGLER

Suitable as a car topper or tender

STANDARD HULL FEATURES	2.45	3.15	3.55	3.75	3.85
bungs - 38 mm x 2	•	•	•	•	•
deck - flat	•	•	•	•	•
handles - front	•	•	•	•	•
handles - rear	—	•	•	•	•
rear corner gussets	•	•	•	•	•
rope shelf	—	•	•	•	•
rowlocks	•	•	•	•	•
spray chines	—	—	—	•	•
towing eye - double	•	•	•	•	•
SEATS	2.45	3.15	3.55	3.75	3.85
rivetted thwart - front & rear	•	—	—	—	—
welded thwart - front & rear	—	•	•	•	•
TRANSOM	2.45	3.15	3.55	3.75	3.85
standard (s/s)	•	•	•	•	•
standard (l/s)	—	•	•	•	•
SPECIFICATIONS	2.45	3.15	3.55	3.75	3.85
bottom	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm
sides	1.6 mm	1.6 mm	1.6 mm	1.6 mm	1.6 mm
transom	1.6 mm	2.0 mm	2.0 mm	2.0 mm	2.0 mm
beam	1.41 m	1.52 m	1.55 m	1.62 m	1.68 m
depth	0.65 m	0.65 m	0.81 m	0.88 m	0.9 m
floor ribs	3	5	6	6	7
no. of persons	2	3	3	4	4
weight - approx	45 kg	62 kg	76 kg	86 kg	92 kg
recommended horsepower	3 hp	8 hp	10 hp	15 hp	20 hp
maximum horsepower	3 hp	10 hp	15 hp	20 hp	25 hp
maximum motor weight	17 kg	42 kg	47 kg	55 kg	73 kg



2.45m



3.15m



3.55m



3.75m



3.85m



# OPEN BOAT X PACK

Practical options that work



4.0m



4.2m



4.4m

STANDARD HULL FEATURES	4.0	4.2	4.4	4.55
bollard - front	—	—	—	•
bungs - 38 mm x 2	•	•	•	•
gunwhale rubber insert	•	•	•	•
handle - rear (starboard side)	•	•	•	•
navigation light plate	•	•	•	•
rope cleat	•	•	•	—
rope shelf	•	•	•	•
spray chines	•	•	•	•
step & grab rail - large (port side)	•	•	•	•
switch panel plate	•	•	•	•
sure trac hull - reverse chine	—	—	—	•
tank rack	•	•	•	—
towing eye - double	•	•	•	•
transducer bracket	•	•	•	•
wide side decks	•	•	•	•
STANDARD FIT OUT INCLUSIONS	4.0	4.2	4.4	4.55
floor (¾) - carpeted plywood	•	•	•	—
floor (part) - carpeted plywood	—	—	—	•
floor behind rear seat - carpeted plywood	—	—	—	•
RAILS	4.0	4.2	4.4	4.55
short - front	•	•	•	•
SEATS	4.0	4.2	4.4	4.55
welded thwart - front & rear	•	•	•	•
TRANSOM	4.0	4.2	4.4	4.55
standard (l/s)	•	•	•	•
SPECIFICATIONS	4.0	4.2	4.4	4.55
bottom	2.0 mm	2.0 mm	2.0 mm	3.0 mm
sides	1.6 mm	1.6 mm	1.6 mm	2.0 mm
transom	2.5 mm	2.5 mm	2.5 mm	3.0 mm
beam	1.74 m	1.95 m	1.97 m	2.05 m
depth	0.95 m	0.99 m	0.99 m	1.08 m
floor ribs	8	9	10	11
no. of persons	4	4	4	5
weight - approx	152 kg	166 kg	178 kg	253 kg
recommended horsepower	25 hp	30 hp	30 hp	40 hp
maximum horsepower	30 hp	40 hp	40 hp	50 hp
maximum motor weight	75 kg	95 kg	110 kg	115 kg




# OPEN BOAT MAGNUM



4.0m



4.2m



4.4m

## MAGNUM MODELS

The "Magnum" as the name suggests, offers you a roomy and tough dinghy with high sides and wide beams being features of this model. Models available from 4.0 to 6.0 with varied floor layouts and wide side decks fitted standard to 4.85m and over. A reverse chine hull known as the Sure Trac is available in 4.55 to 6.0 models. This design gives enhanced hull performance.




# OPEN BOAT MAGNUM



4.55m



4.85m



4.55m





# OPEN BOAT MAGNUM

STANDARD HULL FEATURES	4.0	4.2	4.4	4.55	4.85	5.35	6.0
bollard - front	—	—	—	•	•	•	•
bungs - 38 mm x 2	•	•	•	•	•	•	•
flotation - under floor	—	—	—	•	•	•	•
gunwhale rubber insert	•	•	•	•	•	•	•
handles - front & rear	•	•	•	•	•	•	•
rear corner gussets	•	•	•	•	•	•	•
rope cleat	•	•	•	—	—	—	—
rope shelf	•	•	•	•	•	•	•
rowlocks	•	•	•	•	—	—	—
spray chines	•	•	•	•	•	•	•
sure trac hull - reverse chine	—	—	—	•	•	•	•
tank rack	•	•	•	—	—	—	—
towing eye - double	•	•	•	•	•	•	•
transducer bracket	•	•	•	•	•	•	•
wide side decks	—	—	—	—	•	•	•
STANDARD FITOUT INCLUSIONS	4.0	4.2	4.4	4.55	4.85	5.35	6.0
floor (¾) - carpeted plywood	•	•	•	—	—	—	—
floor (part) - carpeted plywood	—	—	—	•	•	•	•
floor (front) - carpeted plywood	—	—	—	—	•	•	•
floor (behind rear seat) - carpeted plywood	—	—	—	•	•	•	•
SEATS	4.0	4.2	4.4	4.55	4.85	5.35	6.0
welded thwart - front & rear	•	•	•	•	•	•	•
TRANSOM	4.0	4.2	4.4	4.55	4.85	5.35	6.0
standard (l/s)	•	•	•	•	•	•	•
SPECIFICATIONS	4.0	4.2	4.4	4.55	4.85	5.35	6.0
bottom	2.0 mm	2.0 mm	2.0 mm	3.0 mm	3.0 mm	3.0 mm	4.0 mm
sides	1.6 mm	1.6 mm	1.6 mm	2.0 mm	2.0 mm	2.0 mm	2.0 mm
transom	2.5 mm	2.5 mm	2.5 mm	3.0 mm	3.0 mm	3.0 mm	3.0 mm
beam	1.74 m	1.95 m	1.97 m	2.05 m	2.14 m	2.2 m	2.3 m
depth	0.91 m	0.99 m	0.99 m	1.08 m	1.09 m	1.1 m	1.18 m
floor ribs	8	9	10	11	13	14	16
no. of persons	4	4	4	5	5	6	6
weight - approx	141 kg	152 kg	166 kg	224 kg	274 kg	320 kg	403 kg
recommended horsepower	25 hp	30 hp	30 hp	40 hp	50 hp	50 hp	60 hp
maximum horsepower	30 hp	40 hp	40 hp	50 hp	60 hp	60 hp	75 hp
maximum motor weight	90 kg	95 kg	110 kg	115 kg	120 kg	120 kg	175 kg





[Sea Jay Group Pty Ltd A.C.N. 141 380 298](#)

This document states terms of the Warranty given by the Company in respect of products manufactured by it.

## 1. Interpretation

In this document:-

- 1.1 "The Company" means Sea Jay Group Pty Ltd A.C.N. 141 380 298.
- 1.2 "The Purchaser" means the original person or entity of any boat sold through an authorised Sea Jay Boats Dealership.
- 1.3 "Boat" means any aluminium boat or accessory manufactured by the Company.
- 1.4 "Warranty Period" means the period of two years (24 months) from the date of delivery to the ORIGINAL purchaser.

## 2. Warranty

2.1 The Company warrants to the Purchaser that:-

- 2.1.1 The quality of the materials used in the construction of the boat is in accordance with or above, the standard usual in the aluminium boat building industry; and
- 2.1.2 The boat will remain free of defects during the warranty period.

## 3. Works under Warranty

- 3.1 To obtain the benefit of the warranty the Purchaser must return the boat to its place of purchase.
- 3.2 Warranty does not cover any consequential expenses beyond the warranty repair itself. Eg. Freight
- 3.3 SeaJay Boats shall not be liable for consequential loss of any kind arising out of the supply or operation of the Boat.

## 4. Exclusions

4.1 The warranty will not cover any defect or damage caused by:-

- 4.1.1 Operating outside design limitations
  - 4.1.2 Misuse, abuse or negligence
  - 4.1.3 Normal Wear and Tear
  - 4.1.4 Use of a motor which has more power or weight than recommended on the compliance plate attached to the Boat.
  - 4.1.5 Improper Trailer fitup. Eg. Incorrect tie down of Boat to Trailer, the use of multi roller Trailers, no Engine support bracket and off road use.
- 4.2 Paint is not warranted against the effects of oxidization, wear and tear, electrolysis or damage caused by fuel and dissimilar metals. This also includes normal oxidization around unsealed edges and fittings.
- 4.3 Carpet, Timber Floors , Upholstery and Windscreens (including console screens) are limited to a 12 month warranty only.
- 4.4 Any alterations/modifications to the Boat once it has left the factory will void any/all remaining warranty.

## 5. Commercial Use

- 5.1 Due to the variance in usage and conditions which may be experienced, the Purchaser must be satisfied the intended Boat is suited for commercial applications.
- 5.2 This Warranty does not cover any boat which has been used for a commercial purpose.

## 6. Exclusion of Further Warranties

- 6.1 Except as stated in this document no warranty, express or implied is given by the Company except any warranty which is implied by law.





Sea Jay Group Pty Ltd  
A.B.N. 64 141 380 298  
2 Maddison Court,  
Bundaberg Qld 4670



#### GENERAL MAINTENANCE

It is important to follow a few basic rules in providing regular maintenance to your new vessel.

- Always thoroughly wash your entire vessel with fresh water and mild detergent after use.
- A spray of a protective lanolin based product should be re-applied after washing, to all areas where dissimilar metals are fitted. eg. Any Stainless Steel fittings (Windscreen Bolts, Rod Holders, Baitboard etc.)
- If an accessory is fitted after market (not factory fitted) it is important to spray a protective lanolin based product to these areas where salt or moisture can be attracted.
- Leave your vessel permanently tilted to drain after use.
- Floatation material can be affected by petrol. Check periodically.



[www.seajayboats.com.au](http://www.seajayboats.com.au)

Follow the dealer link to locate your local Sea Jay dealer.

#### DISCLAIMER

As Sea Jay continues to make improvements to our product, we do reserve the right to change any details that are contained herein.

All specifications quoted in this brochure are approximate and subject to change.

Please note that photos may show accessories or options that are not standard, please check the features for the standard options applicable.

For further information on the Sea Jay Model range please contact your authorised Dealer as Sea Jay Aluminium Boats do not sell our product direct from the factory.

YOUR AUTHORISED SEA JAY DISTRIBUTOR